REPORT SECTION

NPS55-77-45

NAVAL POSTGRADUATE SCHOOL

Monterey, California

NTDS COMPUTER FACILITIES SCHEDULING SYSTEM

--FINAL REPORT

by

James K. Hartman

and

Gilbert T. Howard

December 1977

Approved for public release; distribution unlimited.

epared for:
COMDIRSYSSACT
Diego, California

FEDDOCS
D 208.14/2:NPS-55-77-45

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral Isham Linder
Superintendent

Jack R. Borsting
Provost

This work was supported by FLTCOMDIRSYSSACT, San Diego.

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS55-77-45	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE *(and Subtitle)* NTDS Computer Facilities Scheduling System-- Final Report		5. TYPE OF REPORT & PERIOD COVERED Technical 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) James Hartman and Gilbert Howard		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS FLTCOMDIRSYSSACT San Diego, CA		12. REPORT DATE December 1977 13. NUMBER OF PAGES 162
14. MONITORING AGENCY NAME & ADDRESS*(if different from Controlling Office)*		15. SECURITY CLASS. *(of this report)* UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

NTDS
Scheduling
FCDSSA
Computer Facilities

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

This report investigates the scheduling of Naval Tactical Data Systems (NTDS) mockups and the associated computer facilities at FCDSSA/FCDSTCP, San Diego. We provide a design for an automated, computer based, interactive system for assisting in the management of job and equipment scheduling, equipment status recording and equipment hookup. The decision logic of the scheduling portion of this system has been developed in detail, and a prototype scheduling program has been written and tested. The results indicate that the computer

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

20. Continued
program can do a good job of producing a job schedule and the associated equipment assignments.

A schedule for system implementation is also suggested.

NTDS COMPUTER FACILITIES SCHEDULING SYSTEM

--FINAL REPORT

James K. Hartman

and

Gilbert T. Howard

Naval Postgraduate School
Monterey, California

December 1977

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	1
	A. Purpose	1
	B. Report Organization	2
II.	SYSTEM OPERATION	3
	A. General Overview	3
	B. Typical Interaction Sequences	4
	C. Detailed Interaction Descriptions	10
	1. Define Configuration	11
	2. Display Configuration	12
	3. Delete Configuration	12
	4. Enter Schedule Request	13
	5. Display Schedule Request	19
	6. Modify or Delete Schedule Request	20
	7. Construct Schedule	20
	8. Display Schedule	21
	9. Modify Schedule	22
	10. Hookup Equipment	23
	11. Unhook Equipment	24
	12. Change Equipment Status	24
	13. Display Equipment Status	25
	14. Change Basic Data Files	25
	D. Summary of System Interactions	26
III.	FILE DESCRIPTIONS AND FILE MANAGEMENT	27
	A. File Descriptions	27
	1. Equipment File	27
	2. Maintenance File	28
	3. Pending Weekly Request File	28
	4. Current Week Schedule and Request File	29
	5. Next Week Schedule and Request File	30
	6. Current Week Schedule Cross Reference File	30
	7. Next Week Schedule Cross Reference File	31
	8. Configuration File	31
	9. History Files	31
	B. File Management	32

TABLE OF CONTENTS Continued

		Page
IV.	DESCRIPTION OF THE SCHEDULING PROCESS	36
	A. Overview of Scheduling Operation	36
	B. Initial Conditions for Scheduling	37
	1. Time Specification	37
	2. Equipment Specification	38
	3. Assumptions about Equipment Availability..	39
	4. Job request Processing Sequence.....	40
	C. Decision Logic for Scheduling Subprograms.....	42
	1. Determine Equipment Availability (EQAVAL).	43
	2. Determine Equipment Requirements (GETEQ)..	46
	3. Insert Job in Schedule (INSERT)	47
	4. Remove Job from Schedule (REMOVE)	54
	5. Replace Job in Schedule (REPLAC)	57
	6. Compute Number of Time Periods (PERIOD)...	58
	D. Decision Logic for the Scheduling Program.....	60
	1. Generation of Alternatives.....	60
	2. Flowchart	62
	E. Interaction With Human Scheduler	66
	1. Initial Schedule Preparation	66
	2. Schedule Revision	71
V.	DESCRIPTION OF PROGRAM AND RESULTS	
	A. Differences Between the Test Program and A Version for Implementation	73
	B. Description of Test Program Data Arrays	75
	C. Description of Time Periods in Scheduling Program	80
	D. Input Data Required for Scheduling Program....	81
	E. Description of Test Problem	82
	F. Assignment of Specific Equipment	85
	G. Summary of Results from Test Problems	89
VI.	CONCLUSIONS AND RECOMMENDATIONS	91
	A. Summary	91
	B. Major Tasks Remaining Before Implementation...	92
	APPENDIX A	
	Equipment Scheduling Program	93

ABSTRACT

This report investigates the scheduling of Naval Tactical Data Systems (NTDS) mockups and the associated computer facilities at FCDSSA/FCDSTCP, San Diego. We provide a design for an automated, computer based, interactive system for assisting in the management of job and equipment scheduling, equipment status recording and equipment hookup. The decision logic of the scheduling portion of this system has been developed in detail, and a prototype scheduling program has been written and tested. The results indicate that the computer program can do a good job of producing a job schedule and the associated equipment assignments.

A schedule for system implementation is also suggested.

I. INTRODUCTION

A. Purpose

This report investigates the scheduling of Naval Tactical Data System (NTDS) mockups and the associated computer facilities at the Fleet Combat Direction System Support Activity (FCDSSA) and the Fleet Combat Direction System Training Center, Pacific (FCDSTCP), San Diego. NTDS mockups, digital computers, and various items of computer peripheral equipment are combined into many different configurations for use in training by FCDSTCP and for use in program development and program test by FCDSSA. Equipment must also be made available periodically for required maintenance. The variety of different users, configurations, and time restrictions creates a problem in job and equipment scheduling which is quite complicated.

In this report we provide a design for an automated, computer based, interactive system for assisting in the management of job and equipment scheduling, equipment status recording, and equipment hookup for the NTDS computer facilities. Installation of such a system could relieve the load on the current manual scheduling system and provide continuity in the scheduling system even though the individuals responsible for scheduling may change. It could also make up to date schedule and equipment status information readily available, provide increased flexibility when schedule revisions are necessary, and interface with the high speed digital switch (HSDS) equipment leading eventually to automatic hookup of jobs.

B. Report Organization

Section II of this report provides an overview of system operation from the user's viewpoint and indicates from the system viewpoint how the automated functions are accomplished. In particular, this requires definition of data files for the scheduling system and program modules to operate upon these files as the system performs its various functions. These files and program modules are briefly described in Section II, and their interrelationships are specified.

Section III concentrates on file descriptions in greater detail.

Section IV provides detailed decision logic and flowcharts for the program modules which make up the system. In particular, the complex module which actually performs the scheduling operation is broken into several subroutines which are described in detail. A preliminary, non-interactive version of this scheduling module has been written and tested in order to assess the effectiveness of the scheduling logic. This program is described in Section V.

Finally, in Section VI we list what we feel are the major remaining tasks leading to implementation of the system.

II. SYSTEM OPERATION

A. General Overview

An overall view of the system is provided in the flowchart of Figure 1. System USERS input equipment configuration definitions and requests for scheduled time. MAINTENANCE personnel input equipment status updates. Once a week these inputs are integrated to form a schedule of time and equipment assignments at the CONTROL DESK by a human scheduler interacting with a scheduling program. When the time comes for jobs to be run, the CONTROL DESK initates the HSDS control program which references the configuration file and the schedule to determine which equipment to hookup. When changes are required in the schedule, the scheduling program is again called and the changes are worked out interactively by the scheduler and the program.

In the above overview we have designated three categories of people who will interact with the system.

1. USERS are people who submit job requests for scheduled time on various configurations of NTDS equipment. Note that this category includes job requests for training, program development and test, and also for scheduled maintenance.

2. The system CONTROL DESK is a central location with overall control of system operation. It includes the scheduling function as well as initiation of equipment hookup and some communications with users.



Figure 1. Overall System Operations

3. MAINTENANCE personnel interact with the system by updating equipment status indicators as equipment fails and is fixed.

B. Typical Interaction Sequences

Since the operations of this system are to some extent interactive and occur in a time sequence, it is useful to describe typical sequences of interactions within the context of a scheduling cycle. The system will produce a new schedule once a week. For convenience let us assume that this occurs on Wednesday afternoon each week and that the schedule produced starts at 0000 hours on the following Monday and runs for a week. (Alternate assumptions about timing would change details, but the overall pattern of interaction sequences would be similar.) For convenience we number the days in a three consecutive week period as follows:

M	T	W	H	F	A	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19

On Wednesday the 8th, the system will be constructing a schedule for the week 13-19.

1. Typical sequence for weekly scheduling. The following flowchart (Figure 2) summarizes the typical sequence of interactions for a user request to be included on next week's schedule. Such a request would be submitted anytime on days 1-7, would be scheduled on days 8-9, and would run during the week 13-19. The flowcharts in this section are based on a preliminary chart developed by LT Amos Maples, FCDSSA.

2. Typical sequence for daily scheduling. Sometimes a user will discover after the scheduling deadline (day 8) that he would like to have a job scheduled during the week 13-19. If there is available equipment to meet his late request, then his job should be added to the schedule, but in general the existing schedule will not be changed to accommodate the late request. We call such a request a "daily" request. The interaction sequence for a "daily" request is shown in the following flowchart (Figure 3).

3. Typical sequence for maintenance status change. Maintenance personnel will modify the equipment status file whenever a piece of equipment fails or is repaired. The impact on the scheduling system is shown in the accompanying flowchart (Figure 4).


USER SUBMITS JOB REQUEST (DAY 1 - 7)
FILE OF PENDING REQUESTS FOR WEEK 13-19
USER MODIFIES JOB REQUEST (DAY 1 - 7)
PRINTED COPY OF ALL REQUESTS
CONTROL DESK (SCHEDULER) REVIEW OF ALL REQUESTS
(DAY 8)
CONTROL DISK INTERACTION WITH ALGORITHM
(DAY 8 - 9)
SCHEDULING ALGORITHM
(DAY 8 - 9)
EQUIPMENT FILE
CONFIGURATION FILE
NOT ACCEPTABLE
CONTROL DESK REVIEW OF SCHEDULE
(DAY 8)
ACCEPTABLE
NOT ACCEPTABLE
USER/MAINT REVIEW OF SCHEDULE
(DAY 9)
ACCEPTABLE
POSSIBLE SCHEDULE MODIFICATION BY CONTROL DESK
ON LINE SCHEDULE FOR WEEK 13 - 19
(DAY 9)
PRINTED COPY OF SCHEDULE FOR WEEK 13 - 19
(DAY 9)
HSDS HOOKUP PROGRAM
(DAY 13-19)

Figure 2. Flowchart for Typical Weekly Job Request


USER SUBMITS JOB REQUEST
(Day 8-19)
FILE OF PENDING REQUESTS FOR WEEK 13-19
SCHEDULER INITIATES SCAN OF PENDING FILE
SCHEDULING ALGORITHM TRIES TO FIT REQUEST INTO EXISTING SCHEDULE
FAILS
RETURN REQUEST TO PENDING FILE, TRY AGAIN LATER
SUCCEEDS
SCHEDULER NOTIFIED OF NEW JOB
SCHEDULER OK's ADDITION OF NEW JOB TO SCHEDULE
NO
YES
MODIFIED SCHEDULE
USER NOTIFIED OF CHANGE

Figure 3. Flowchart for Typical Daily Job Request



Figure 4. Flowchart for Maintenance Status Change

C. Detailed Interaction Descriptions

The proposed computer facilities scheduling system will maintain data files (as indicated in Figure 1) for equipment configurations, job requests, equipment status, and the schedule. At various times people interact with the system by issuing commands at remote terminals. These commands initiate execution of computer program modules which read or write on the data files and return output to the person initiating the request. In this section we describe in some detail the types of interactions planned for the system and indicate the effects they have on the various data files.

Some of these interactions are quite simple, so the logic they use does not require elaborate description. For example, a command "Display Configuration XXXX" will search the configuration file for the name XXXX and display either the configuration (if XXXX is found) or an error message (if XXXX is not found). These simple interactions will be completely described in this section.

Other interactions are quite complex. The major example is the construction of a weekly schedule. Complex interactions will be briefly sketched in this section, but detailed specification of the decision logic will be postponed to Section IV.

We now list and describe the interaction types.

1. Define Configuration. Each job request must specify the equipment it requires and the manner in which the various channels of the equipment are interconnected. Such a specification is called a configuration. It is anticipated that the system control structure for defining a configuration will be similar to that of the BUILD commands in the existing HSDS program. The primary difference is that the new system will have to be able to describe configurations in terms of the logical equipment types (e.g. any 642B computer) as well as specific equipment identifiers (e.g. CPU-2). This added capability is required so that the scheduling program will have maximum flexibility in equipment assignment. The current BUILD routines work only with specific equipment identifiers, so that any substitutions must be made manually at hookup time.

Definition of the format and mnemonics for specifying configurations in this more general fashion is a FCDSSA responsibility (Action Harry Gold and Basil Brown).

When a user issues a "define configuration" command the system will check to be sure the configuration name input by the user does not duplicate one already in the configuration file, and then will copy the user's specification into the configuration file as a new entry. Possible elaborations include a) checking to be sure that each configuration is unique and b) defining new configurations as minor modifications of existing configurations.

Summary of files affected:

read CONFIGURATION file.,

write CONFIGURATION file.

2. Display Configuration. Several different displays of the information in the configuration file should be available upon request. All of these displays are simple input-output formatting exercises which will be routine to program once the configuration format is determined by FCDSSA. The displays available should include the following:

   a) List the names of all configurations currently in the file.

   b) Display the configuration with name XXXX. (If XXXX is not a previously defined configuration, return an error message.)

   c) Display all configurations.

   d) In b and c above, the user will have the option to list only the equipment required or also the details of channel interconnections.

   e) List all configurations which require equipment type z.

   Summary of files affected: read CONFIGURATION file.

3. Delete Configuration. Obsolete configurations can be removed from the configuration file. This interaction should be reserved for control desk use to prevent accidental erasures in the file. As a possible elaboration, the system

might check to be sure that no currently pending job request uses the configuration before it is deleted, since otherwise at scheduling or hookup time the job will request a configuration whose description is no longer available in the system.

Summary of files affected:

read CONFIGURATION file

erase CONFIGURATION file,

possibly read PENDING REQUEST file.

4. Enter Schedule Request. Users may input job requests for inclusion in the schedule at any time. Job requests which arrive before the weekly scheduling time ("weekly requests") are accumulated in the PENDING REQUEST file until scheduling time. Job requests which arrive after the scheduling deadline ("daily requests") are kept in the PENDING REQUEST file and treated on a space-available basis. In either case, entering a schedule request is a simple input-output operation. At this time we will define formats for the input and the PENDING REQUEST file and describe the editing checks that the program should make on each new request.

Any job request must contain information in three basic areas: job identification, equipment required, and time required. The job identification is reasonably straightforward. The primary job identifier is a user assigned job

name. Users will have to be precise about using exactly the same name when displaying information about their job request or its place in the schedule. Other elements in the job identification are the task number (primarily for accounting-no real function in scheduling), the user's organization code (in the current view, the scheduling algorithm will sort requests by code, and each code may prioritize its requests if desired), a priority sequence if the user's code wishes to assign one, and the user's phone extension so the control desk can call the user if necessary.

Specification of the equipment required for a given job is straightforward. The user will merely specify the name of the standard configuration which he requires. If there is not an existing configuration for the required equipment or if the user doesn't know its name, then the user will input a special code (say 999) and the "define configuration" program will be called to establish the new configuration or to search the existing configuration file for the name of the configuration matching the user's needs. Users will be able to specify alternative configurations if several different configurations will meet their needs.

Specification of the time required for a job request has several aspects. Users will first specify the week for which the request is intended, and the system will then check the request submission deadline to see if this is a "weekly" request or a "daily" request. Then the user must specify

how much time is required and when he would like the job to be scheduled. Specification of the information is complicated by the variety of different jobs which the system must handle. For most users (see exceptions below) the number of hours of time required is fairly firm and easy to specify. However, different users vary widely in their desires about when during the week their job should be run.

a. Certain users, notably maintenance and training, have priority status during certain times of the day and try to concentrate their jobs during these times.

b. Some users have preference for certain times of day, others for certain days of the week, others for various combinations of both day and time. Almost everyone prefers day time shifts to night shifts, but there are some exceptions.

c. Because of other commitments, some users are unable to run their jobs at certain times.

d. Some job requests want several time blocks on different days with at least a day between blocks for debugging.

e. Some user requests (e.g. ASIS05) are submitted as a single large block of time with the understanding that the scheduler will spread this time in smaller blocks throughout the week at his convenience. These smaller blocks are then allocated to different ASIS05 users by the ASIS05 group without having the scheduler involved.

f. It is virtually certain that not all users will get their first preference in time assignments. Thus the system will allow a user to specify several alternative times (perhaps many) and indicate his preferences among these times.

From the standpoint of the scheduling algorithm, each separate block of time will be treated as a separate request. For example, a job asking for four hours on Monday and four hours on Wednesday will be split into two separate job requests which are scheduled independently. The system will assign a "segment number" to differentiate between the two blocks. For each separately requested block of time the scheduling program needs a list of acceptable start times, arranged in preference order. All acceptable times should be included in the list and any time which is impossible should be left off the list. The scheduling program will then step through the acceptable times in the given preference order, until it finds a time where the job fits into the schedule.

For submitting a schedule request, however, such a format might be unwieldly since the list of possible start times might be quite long. An alternative input format which can easily be translated into the preference ordered time list is suggested below.

Each job request can ask for as many blocks of time as desired. For each block the user specifies

a) the number of hours in that block

b) day-time combinations which are desirable start times

d) day-time combinations which are not possible start times.

Examples

1. (4 M0 8) indicates that four hours time is required, and that Monday 0800 is the desired start time.
2. (6 H) indicates that six hours time is required and that Thursday (H) is the desired day.
3. (5 M08, W12, H) indicates that five hours time is required, and that Monday 0800, Wednesday 1200, or anytime Thursday are desirable start times.
4. (4 M08, NOT T, W, H) indicates that four hours on Monday at 0800 is desired, and that no time on Tuesday, Wednesday, or Thursday is acceptable (perhaps the user will be out of town).
5. (8 T08, W, NOT F16) indicates eight hours is required, Tuesday 0800 or anytime Wednesday are desirable, but Friday 1600 is impossible.
6. (4 M08), (6 T08), (4 W12, NOT F) requests three separate blocks of time each of which is interpreted as above.

Input to such a time specification could be in the compact form shown for users who understand the format and could also easily be expanded into a prompt-and-respond mode on terminals for users who are not so familiar with the format.

Translating this format into the preference ordered list of start times is a straightforward process: desirable times are placed at the top of the preference order, and impossible times are omitted from the list. Times which are not mentioned at all will appear on the list at the bottom of the preference order, and, of course, the user will have no control over their ordering.

For users who want to place a preference ordering on all of their acceptable times, the option of just inputing the ordere list of start times should also be available.

It should be noted that this time specification format, while probably adequate for most jobs, does not allow for specifying minimum intervals between blocks or for splitting large request blocks into smaller pieces. One way of handling special cases is to include a field in the request input for "comments to the scheduler" so that the control desk's human scheduler can force the interactive computer scheduling program to satisfy side constraints that are hard to anticipate or provide for in automatic scheduling.

Editing checks should be built into the program which accepts job requests to ensure that the request makes sense. For example:

a) The job name should be unique for each job request submission. Thus the system should check each new name against those already in the file.

b) Other identification information should be reasonable, e.g. code numbers should be for codes that exist.

c) All configuration names should be checked against the configuration file, and the user should be required to define any missing configurations.

d) All times should be checked to be sure they are within the proper ranges.

e) The resulting file record in the PENDING REQUEST file should be echoed to the user to allow validation at entry time of the actual file record, and immediate correction of any errors found.

Summary of files affected:

read PENDING REQUEST file
write PENDING REQUEST file
read CONFIGURATION file.

5. Display Schedule Request. The system should display any job request (or all) on demand. The display is a routine input/output exercise. For preliminary implementation, simple display of all the information in the file record is probably adequate. A more elaborate display routine might selectively edit part of the data (e.g. list names of all jobs from code 06 or all jobs using configuration XXXX).

Summary of files affected:

read PENDING REQUEST file.

6. Modify or Delete Schedule Request. Changes in user requirements or input errors may require changing or deleting requests which have been previously entered. Such modificati or deletions should be protected functions with only the user who submitted the request or the control desk allowed to change the request. For initial implementation, the easiest way to handle a modification is to delete the old request and re-enter the entire modified request. If modifications are frequent it might be worthwhile to develop special modifi cation routines later.

Summary of files affects:

read PENDING REQUEST file

write PENDING REQUEST file.

7. Construct Schedule. Once a week, at scheduling time, the system produces a schedule of time and equipment assignments for the following week. The schedule construction process will be an interaction between a human scheduler (CONTROL DESK function) and a computer program scheduler. The program will be able to rapidly generate alternatives, will perform the basic bookkeeping operations, and will use simple heuristics to construct portions of the schedule.

When these heuristics fail, or at other appropriate times the human scheduler will intervene to suggest alternatives for the computer to try or to process additional information (such as the comments field in a schedule request) which the computer cannot handle.

The result of the scheduling process is a list of the scheduled time and equipment assigned to each job request, and a list of the job requests (if any) which could not be scheduled.

Since the scheduling interaction is complex, its decision logic must be specified in considerable detail. We will postpone this detailed description of the scheduling process until Section IV.

Summary of files affected: As indicated in Figure 2 of Section II-B the scheduling process will require read access to all of the system files, and will write on the SCHEDULE file.

3. Display Schedule. A variety of displays of the weekly schedule will be required to meet the needs of various users.

a) The simplest such display is for an individual job. The display would merely repeat the job request identification fields, specify the day and time assigned and list the equipment assigned. If the scheduler has found it necessary to assign equipment which is not currently in an UP maintenance status, a note to this effect should be included.

b) Using the same format as in a) above, it would be desirable to be able to list subsets of jobs such as all training jobs, all jobs scheduled for the Monday afterno shift or all jobs using computer CPU2. This is a routin sort or search problem.

c) In addition to the displays above, the control desk scheduler will need to have available more global infor- mation about the schedule if he is to interact effective with the system during the schedule construction and schedule modification processes. The types of display available to the scheduler and their format will be cruc to the success of the scheduling effort, and will be discussed in more detail along with the scheduling proce in Section IV.

Summary of files affected:

read SCHEDULE file.

9. Modify Schedule. After a schedule has been constructed, changes in equipment availability, changes in user needs, or in extreme cases, new and extremely important jobs which must be scheduled will require modifications in the exist- ing schedule. Sometimes the change may be simple (e.g. substitute CPU H for CPU K in job XXX), but other changes may require rework of substantial portions of the schedule.

The schedule modification process will be interactive and similar to the original schedule construction process

except that it starts with an existing partial schedule. Further details are reserved for Section IV.

Summary of files affected: Schedule modification is like schedule construction in that it can affect any of the system files.

10. Hookup Equipment. At the beginning of each shift, the jobs scheduled to start in that shift must be hooked up. Detailed discussion of the hookup system is beyond the scope of this research project, but a brief sketch is in order. The proposed system would use the schedule file to determine the jobs and equipment to be processed, and then the configuration file would provide details of the channel interconnections. Using this information, the system will create a set of HSDS hookup commands for each of the jobs to be run. These would then be sent to the HSDS control computer which will actually perform the hookup. The major requirements, in addition to the existing HSDS programs, are for a processor to develop the set of HSDS commands and for a communication link from the system to the HSDS control computer.

Summary of files affected:

read SCHEDULE file

read CONFIGURATION file.

11. Unhook Equipment. When a job is done, the equipment is unhooked. The discussion of equipment hookup above is relevant. It is probably desirable to have human intervention to prevent automatic disconnecting of jobs since a brief extension of time might allow job completion.

12. Change Equipment Status. As a part of the equipment file, the system will maintain an equipment status list. This would incorporate or replace the HSDS status list and Harry Gold's equipment status program. There will be three possible status indicators for each piece of equipment. UP, REDUCED CAPABILITY (REDCAP), and DOWN. At HOOKUP time, the system will refuse to hook up any equipment which is DOWN and will give a warning message about REDCAP equipment. Since the schedule is made up as much as 10 days before run time, the scheduler will assume that DOWN and REDCAP equipment can be fixed in time and will schedule it if necessary (with a warning message). If equipment is known to be down for an extended period (awaiting parts or shipped out for repair) and will not be available next week, maintenance may so indicate by preemptively scheduling that equipment into a maintenance status for the entire week. Then the system will not assign it to anyone else. Formats for inputs and displays have been developed in previous status programs, so we will not concentrate on them at this time.

Access to the "change equipment status" program is restricted to maintenance personnel only

Summary of files affects:

read EQUIPMENT file

write EQUIPMENT file.

13. Display Equipment Status. On demand the system will display the current maintenance status of any piece of equipment that it schedules. Summary displays such as "all CPU's" or "all DOWN equipment" should be available. For equipment in the DOWN or REDCAP categories, a maintenance file will contain comments about the equipment to help users decide whether, for example, their job can use a piece of REDCAP equipment.

    Summary of files affected:

    read EQUIPMENT file.

14. Change Basic Data Files. Changes to basic system data files (such as the equipment list) will sometimes be required (for example, when a new piece of equipment is acquired). Routines should be available to make such changes possible. Their use is, of course, restricted so the typical user will never encounter them.

D. Summary of System Interactions

In the following table we summarize the above interactions and indicate the people who will be initiating them. Several of the interactions should clearly be reserved for maintenance or for the control desk. Other interactions such as Modify Schedule Request should be available to the user who submitted that request, but not to other users. This can be handled by appropriate code words in the control programs, or by restricting these functions to a single central authority such as the control desk.

Interaction	User	Control Desk	Maintenanc
1. Define Configuration	X	X	X
2. Display Configuration	X	X	X
3. Delete Configuration		X	
4. Enter Schedule Request	X		X
5. Display Schedule Request	X	X	X
6. Modify or Delete Schedule Request	X	X	
7. Construct Schedule		X	
8. Display Schedule	X	X	X
9. Modify Schedule		X	
10. Hookup Equipment		X	X
11. Unhook Equipment		X	X
12. Change Equipment Status			X
13. Display Equipment Status	X	X	X
14. Change Basic Data Files		X	

X means that the indicated person initiates the indicated interaction.

III. FILE DESCRIPTIONS AND FILE MANAGEMENT

A. File Descriptions

The proposed computer facilities scheduling system requires a number of data files to be stored and accessed as schedules are prepared and implemented. In this section we provide descriptions of these files, their contents, and some suggestions for file management in the system.

Throughout we will concentrate on the minimum files necessary to perform the scheduling job recognizing that other aspects of the system may require additional files or additional entries in the files we define. For example, as part of the equipment file it might be useful for someone to know the date of acquisition of each piece of equipment. Since this information does not impact on the scheduling function, we choose not to incorporate it into our description of the equipment file.

A list of the files required by the scheduling system and their contents follows.

1. EQUIPMENT file

The equipment file contains information about each piece of equipment that the system schedules. The information required consists of:

a) a unique identifier for each piece of equipment
(The HSDS mnemonic is a logical identifier to use.)

b) an equipment status code to indicate the current maintenance status of the equipment. The three possible status values are UP, DOWN, and REDUCED CAPABILITY.

This file should have space for several hundred pieces of equipment.

2. MAINTENANCE file

Verbal comments describing the nature of maintenance required on DOWN and REDCAP equipment can be useful to users in deciding whether they can use the malfunctioning equipment. For example, if only one channel of a device is bad, and the user's job doesn't access that channel, then he may be able to continue even though the equipment is marked REDCAP. This file will contain entries for DOWN and REDCAP equipment only and will consist of

a) the equipment identifier (same as in the equipment file)

b) the status indicator DOWN or REDCAP

c) comments on the nature of the problem.

Other information such as time of failure are important for maintenance recordkeeping, but do not directly affect the scheduling function.

Review of recent maintenance activity should give an indication of the required size for this file.

3. PENDING WEEKLY REQUEST File

As requests are received they are accumulated in this file until scheduling time each week. The data which is input in each job request will comprise one record of this file, and should include the following data items:

a) job name

b) segment number (system assigned if a request includes severa blocks of time)

c) task number

d) organization code

e) priority sequence within code (optional)

f) user name

g) phone extension

h) number, n, of acceptable configurations

i) configuration names for the n acceptable configurations

j) week for which the request is intended

k) number, t, of acceptable start times

ℓ) preference ordered list of the t acceptable start times

m) comments to the scheduler, if any.

Space for 200 job request segments per week should be adequate.

4. CURRENT WEEK SCHEDULE and REQUEST file

This file contains information about all the job requests which are either scheduled to be run during the current week or awaiting scheduling as a daily request. For each of these jobs it is necessary to retain all of the job request information listed in file 3 above since changes during the week may necessitate rescheduling of the job. In addition to data items (a) through (m) of file 3, each record of the Current Week file will contain the following information about the schedule relevant to each job:

n) scheduled start time
(= 999 if the job has not yet been scheduled)

o) the configuration name under which the job was scheduled (blank if not yet scheduled)

p) a list of the specific equipment identifiers which are assigned to this job in the schedule.

Space for 200 records should be adequate.

5. NEXT WEEK SCHEDULE and REQUEST File

The format of the Next Week file is identical to that of the Current Week file, except that it contains job request and schedule information for the week following this week. Such a file is required since next week's schedule is prepared before this week's schedule has all been run, and hence there can be two different schedules in existence at a given time. Section III-B will discuss the transfer of data among the Request file, the Current Week file and the Next Week file.

Each record of the Next Week file contains data items a through p listed under files 3 and 4 above.

Space for 200 records should be adequate.

6. CURRENT WEEK SCHEDULE CROSS REFERENCE File

The schedule cross reference file contains, for each time during the week, a list of the job ID for all the jobs which are scheduled to be running at that time. This includes jobs starting at that time as well as jobs starting at earlier times which overlap into that time period.

Space is required for one record for each time period with each record containing, perhaps, up to twenty job ID's.

7. NEXT WEEK SCHEDULE CROSS REFERENCE File

This file is identical to the Current Week Schedule Cross Reference file except that it covers a different period of time.

8. CONFIGURATION File

The configuration file contains a list of the equipment required for each job. Each configuration has a separate record consisting of

a) unique configuration name

b) equipment required for the job

c) channel interconnection instructions.

An estimate of size for this file is difficult to give at this time since details of the format for describing configurations is not yet complete. We anticipate a fairly large number of distinct configurations, perhaps several hundred.

9. HISTORY File

It is likely that some information will be retained in history files after it has become obsolete for current scheduling purposes. For the moment we will ignore these files as they do not influence the scheduling operation.

B. File Management

Since the proposed system implements a weekly schedule in continuous real time, there will clearly have to be a time (or times) during the week when files are cleared of last week's data and loaded with this week's new information. In this section we approach the problem by examining the necessary retention of information over time in the system. In particular we concentrate on the files which are changing completely every week--the Request files, the Current Week file and the Next Week file.

For concreteness let us again denote the days in three consecutive weeks (as in Section II-B) as follows:

M	T	W	H	F	A	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19

and consider the timing of requests and schedules for the week 13-19.

Weekly requests for week 13-19 can be input on days 1-7, and must be retained in some form until they are run (as late as day 19). Thus a weekly request may be in the system for as long as 19 days.

Daily requests for week 13-19 can be input on days 8-19 and must be retained until they are run, or, if not scheduled, until the week is over (as late as day 19). Thus a daily request may be in the system for as long as 12 days.

It should be noted that even after a request is scheduled it is still necessary to retain the request since if schedule modifications must occur, some jobs may have to be rescheduled. Since requests may be in the system for nearly 3 weeks in a weekly scheduling cycle, there will clearly have to be either multiple files or overlap between several weeks in a single file.

The schedule for week 13-19 will be developed on day 8 and reviewed and finalized on day 9. It will be retained until day 19, for a total of 12 days in the system.

Given these preliminary observations, we refer to Figure 5 to illustrate the flow of information in the files. As the weekly requests for week 13-19 are submitted (on days 1-7) they are accumulated into the Pending Weekly Request file. On day 8 the entire Pending Weekly Request file is moved into the Next Week file leaving the Request file empty to accept requests for the week 20-26. The schedule is then constructed, and, as each job is scheduled, its time and equipment assignments are added to its record in the Next Week File. At the end of the week (day 12) the jobs for the week just completed



Figure 5. File Management

(6-12) are erased from the Current Week file and the schedule for the week 13-19 is moved into the Current Week File. Equipment hookups are then made from the Current Week file throughout the week.

Any daily requests for week 13-19 that arrive on days 8-12 are added to the Next Week file and scheduled if possible on a first-come-first-served basis. Daily requests for week 13-19 arriving on days 13-19 will be added to the Current Week file in the same manner.

Although they are not included in Figure 5, the Current and Next Week Schedule Cross Reference files are handled in the same fashion as the Current and Next Week Schedule and Request files.

IV. DESCRIPTION OF THE SCHEDULING PROCESS

A. Overview of Scheduling Operation.

At scheduling time each week the Pending Weekly Request file has accumulated a number (perhaps 100-200) of distinct job request segments for time blocks of varying length and equipment configurations of varying complexity. The job of the scheduler is to assign start times and equipment in such a way that

a) each individual request is satisfied,

b) the equipment needs of all jobs scheduled to run at any time during the week do not exceed the equipment available to be used and

c) the pieces of equipment assigned to each job are physically located in convenient spatial arrangements.

During the week the prepared schedule may have to be changed to reflect changes in job requirements or equipment availability. When this occurs the scheduler's job is to make required changes to still satisfy a, b, and c above with as few modifications to the existing schedule as possible.

Both the schedule preparation activity and the schedule modification activity are interactive processes with an on line computer scheduling program trying many alternatives and keeping track of equipment availability and scheduled times and equipment throughout the process. When the computer's scheduling

attempts fail, or when additional comments to the scheduler impose constraints the computer cannot handle, the human scheduler will be notified. He will then attempt to resolve the issue, or if that seems impossible, he will make the decision to skip the troublesome job and move on to schedule others.

B. Initial Conditions for Scheduling

1. Time Specification.

As discussed in Section II.C.4 of this report, we assume that each job request segment includes a preference ordered list of start times that are considered acceptable for that job. The most desirable time should be first on the list, and any time which is not acceptable should not be included anywhere on the list. The schedule program will attempt to schedule the job at each listed time, in preference order, until a workable time is found. Although we attempt to give each job a time as high on its preference list as possible, we also consider it more important to get jobs scheduled than to give them their most preferred time. Thus we would choose a schedule in which two jobs each get their least preferred time over a schedule in which one job gets its most preferred time and the other job cannot be scheduled at any acceptable time. The program will never attempt to schedule a job at a time not on its list of preferred times, although the manual scheduler may, as a last resort, propose such a time.

2. Equipment Specification.

Each job request specifies a number (often only one) of acceptable equipment configuration names. For purposes of the scheduling algorithm only part of the configuration specification is required. The scheduler needs to know the equipment requirements for the job, but has no use for the channel interconnection instructions. We will assume that each acceptable configuration has been summarized and the equipment specification is presented in the following form:

Equipment type	Number Required	Specific equipment ID for all equipment which can be used for this requirement
CPU-1	1	CPU-1
Any type B Computer in C&S-2	2	CPU-M, CPU-L, CPU-K, CPU-H, CPU-P, CPU-Q, CPU-R
Any MTU in C&S-2	1	MTU-A, MTU-B, MTU-C, MTU-G, MTU-J, MTU-K
NTDS mockup	1	NTDS-1, NTDS-7, NTDS-8

In particular it is important that configurations be specified in as much generality as possible to provide maximum flexibility for the scheduler. If the user is able to use any type B computer then a configuration which specifies CPU-M is unnecessarily restrictive and will lessen the user's chances of being scheduled.

Given equipment specifications in the above format, the scheduling computer program will select the number required of each equipment type from the specific candidates listed. The selection process will check to be sure the equipment is not already assigned at this time, and will attempt to select spatially convenient configurations of computers, magnetic tape units, and teletypes.

3. Assumptions about Equipment Availablity

Since the schedule is initially prepared from 5 to 12 days before the jobs are actually run, equipment availability at run time is likely to differ from that at scheduling time. It does not seem possible to get reliable down-time estimates for malfunctioning equipment, so it is difficult to predict equipment availability for the following week. The scheduling computer program will, thus, assign equipment even though its current status is not UP. This is equivalent to assuming that equipment which is in DOWN or REDCAP status at scheduling time will be fixed by the time it is needed during the next week. This perhaps optimistic assumption is considered preferable to the alternative assumption that any equipment not UP at scheduling time will not be UP any time during the next week. When DOWN or REDCAP equipment is assigned in the schedule it should be flagged so the user will be warned to check the status again as his assigned time approaches. Then if the equipment is still down (or if other equipment has failed in the interim) he can initiate corrective action with the scheduler.

4. Job Request Processing Sequence.

The complexity of the scheduling task when users are allowed to express multiple preferences for times and configurations, and when other constraints are imposed by command organization (e.g. Training jobs have priority in daytime shifts, but not at night), precludes scheduling methods which attempt to consider all factors and all requests simultaneously. Thus the proposed computer facilities scheduling program will operate sequentially, scheduling one job at a time, and occasionally backtracking to change earlier assignments when it is advantageous to do so.

This mode of scheduling requires determination of the sequence in which the jobs are to be considered. Jobs which appear early in the sequence will be more likely to be scheduled than those late in the sequence, so, in some sense, the sequencing should reflect job importance or priority where these ideas are clearly defined and agreed upon. Thus, for example, it seems reasonable to place the job requests for early morning scheduled block maintenance in C&S1 and C&S2 at the top of the job sequence since they do have priority over all other jobs at this time. Similarly, training jobs which request time during the daytime shift are acknowledged to have priority over other jobs during that time and thus should appear earlier in the job request sequence.

There does not, however, seem to be universal agreement on the relative importance of one training job versus another, or of one program development and test job versus another, so

large portions of the job processing sequence are still not determined. Several considerations are relevant to this question:

a) It seems likely that if large jobs are scheduled first, then it will not be too hard to fit small jobs into the "holes" left in the schedule toward the end of the sequence. Conversely, if the large jobs are left until last, the chance of finding large "holes" remaining to fit them into seems much smaller. Thus placing large jobs earlier in the sequence will probably yield better schedules. There are several possible measures of "largeness" for a job (time required and number of computers being obvious measures), but it is not obvious which to use or how to combine them.

b) If a particular responsibility center within the command (say a given code) feels that it can prioritize the jobs within its area and desires to do so, then the sequential processing of jobs gives a natural way to implement the priorities.

c) Across codes it is more difficult to establish and agree on relative job importance, so the suggestion has been made that after priority maintenance and training jobs are scheduled, the job sequence should rotate among the other codes. Each code could order its jobs as desired, and the system would then take the first job from each code's list in turn, then the second job and would continue rotating among the codes until the job request file is empty.

d) A default sequence to all of the above possibilities is the first-come-first-served-sequence. In the absence of a decision to sequence in a more logical fashion, this alternative might be implemented. We do not recommend it.

We will assume that the job processing sequence has been determined as suggested above with priority maintenance and training jobs scheduled first. The remaining jobs are selected for scheduling on a rotating basis among the codes. Each code (training included) may prioritize its own jobs if it wishes to do so; otherwise the system will sort within each code according to job size. The scheduling computer program will follow the given job sequence in its attempts to generate a schedule. Of course, if the human scheduler can work his way around a problem by an adroit change in the sequence, he should have some authority to do so.

C. Decision Logic for Scheduling Subprograms

In performing the scheduling task there are some basic operations that are repeated many times in differing situations. In this section we isolate some of these basic operations and describe how they are performed. In later sections we will then refer back to these operations as subroutines or "black boxes" which can be called at will. We also will begin to define some terminology which will be used in the rest of the report.

1. Determine Equipment Availability (EQAVAL)

The basic fact which makes it necessary to schedule equipment is that only a limited amount of that equipment is available. Throughout the scheduling process we need to know which pieces of equipment are available and which are already scheduled to be used at various times during the week. Information about equipment availability will be kept in an array JEQAVA. We discuss several alternatives for handling and updating this array.

a) The simplest alternative would keep the availability of every piece of equipment for every time period during the week constantly updated in JEQAVA. For (say) 400 pieces of equipment, and if a scheduling period is one hour, then JEQAVA must contain room for 400 × 168 = 67,200 bits of information (0 = not available, 1 = available). Every time any schedule change occurs, the corresponding equipment availability bits are turned off or on. The primary disadvantage of this procedure is the space required for JEQAVA although packing schemes could help. The advantage is speed and simplicity.

b) At the expense of more processing we can save substantial space in the JEQAVA array. Whenever we need to know equipment availability, a subroutine called EQAVAL will construct the JEQAVA array for all equipment but only for the subset of times that we are currently examining (thus a nine hour job request would need 400 × 9 = 3600 bits if time periods

of one hour are used). The procedure is detailed in the flowchart of Figure 6.

The subroutine is called by

CALL EQAVAL(JTIM, JPERS, JEQAVA)

where the input parameters are

JTIM = the first time period of interest

and JPERS = the number of time periods (starting with JTIM).

The subroutine returns the two-dimensional array

JEQAVA (400 × JPERS)

of equipment availability indicators for all equipment and for the JPERS time periods starting with JTIM. The routine requires reference to the Schedule Cross Reference file to find all jobs scheduled at a given time, and to the Next Week Schedule file to find the equipment assigned for each such job. (If we are working on the Current Week Schedule, then reference the Current Week file instead).

c) A further savings in JEQAVA space could be obtained if only a subset of equipment were considered. When trying to schedule a given job, the only equipment of interest is the equipment which could satisfy that job's configuration needs. The processing would be increased by the logic required to keep track of which equipment to ignore. We have not examined this alternative in detail.


ENTER EQAVAL
Initialize: work all equipment as available in all JPERS periods
JEQAVA(I,J) = 1, ∀ I,J
END
RETURN
Loop over time periods (JT) from JTIM to JTIM + JPERS - 1
NEXT
END
Loop over all jobs (JBID) scheduled to be running during period JT (from Schedule Cross Ref. file)
NEXT
END
Loop over all equipment (IDEQ) assigned to job JBID (from Next Week Schedule file)
NEXT
Mark equipment IDEQ unavailable (JEQAVA = 0) in time period JT

Figure 6. EQAVA SUBROUTINE

In the system description that follows we will assume that alternative b) has been chosen.

2. Determine Equipment Requirements (GETEQ)

As each job is processed, its equipment requirements must be obtained from the configuration file and converted to a form which the scheduler can process. We perform this function by a subroutine GETEQ.

The calling sequence for GETEQ is

CALL GETEQ (JCNFG, JEQREQ)

where JCNFG is the job configuration name or number (input to the subroutine) and JEQREQ is an array summarizing the resulting equipment requirements. As indicate previously in Section IV-B-2 the equipment requirement in JEQREQ contains, for each equipment type required by the job,

a) an identifier for the equipment type
b) the number of pieces of equipment of that type required
c) a list of the specific equipment identifiers for all pieces of equipment which could meet the requirement for this type. We call the equipment on this list "eligible" equipment.

The processing logic for this subroutine cannot be detailed until the format for configuration descriptions has been specified.

3. Insert Job in Schedule (INSERT)

A crucial operation in the scheduling process is to insert a given job into the schedule at a given time. The primary tasks involved are the determination of whether the equipment required by the job is available at the given time, and if equipment is available the selection of the specific pieces of equipment to assign to yield a physically convenient equipment layout.

The INSERT subroutine has calling sequence

```
CALL INSERT (JOB, JTIM, JPERS, JCNFG, JEQREQ, JEQAVA, JACTN, JOK)
```

with input parameters

JOB = job identification

JTIM = start time to be tried

JPERS = length of job

JCNFG = configuration identifier--not used in INSERT, but we want to write it onto the schedule file later

JEQREQ = equipment requirement for this job (previously prepared by subroutine GETEQ)

JEQAVA = equipment availability at the indicated times (previously prepared by subroutine EQAVA)

$$\text{JACTN} = \begin{cases} 0 & \text{if this is only a trial--return 0 or 1 in JOK, but do not actually schedule the job} \\ 1 & \text{if this is for scheduling--if the job can be scheduled then do so} \end{cases}$$

and a single output indicator

$$\text{JOK} = \begin{cases} 0 & \text{if the attempt to select equipment failed} \\ 1 & \text{if the attempt succeeded.} \end{cases}$$

In addition if the scheduling attempt succeeds and if JACTN = 1, the subroutine will write output onto the appropriate record of the Next or Current Week Schedule file giving the scheduled time JTIM, the selected equipment, and the configuration used JCNFG, and will also enter this job into the Schedule Cross Reference file.

In accordance with FCDSSA guidance, the INSERT routine will concentrate on physical location for computers (CPU's), magnetic tape units (MTU's), and teletypes (TTY's) only. Other equipment will be assigned without regard to location. CPU's are divided into four classes corresponding to 642-A and 642-B computers in each of the rooms C&S1 and C&S2. MTU's and TTY's

are selected to be in the same room as the CPU's chosen for the job and to be as close to them as possible.

To illustrate the logic of equipment selection let us suppose that the JEQREQ equipment requirement specifies 3 642B CPU's in C&S2, 2 MTU's, and 1 TTY. The three CPU's will be selected first. To accomplish this, the INSERT routine searches a stored list of all the possible CPU-B triples in C&S2 in a preference order based on physical location of these CPU's (since there are seven such computers, there are $\binom{7}{3} = 35$ possible tiples--the list is not very long). Each possible triple is checked for eligibility (against the JEQREQ list) and availability (against the JEQAVA array). The first acceptable CPU triple found is assigned to this job (hence the best available physical arrangement of CPU's is selected).

Next MTU's and TTY's are selected to be as close as possible to the selected CPU's. This process references another stored list of MTU's in location preference order for each CPU and a similar list for TTY's.

After the location sensitive equipment is assigned, all other equipment is assigned checking only eligibility and availability. If, at any stage of the equipment selection process, not enough equipment is available to meet the requirement, then the INSERT routine terminates with a failure indicator (JOK = 0). The decision logic for the subroutine is indicated in the flowcharts of Figures 7, 8, 9 and 10 which follow.


START
Loop over CPU types for this job
END
NEXT
All CPU types selected go on to MTU assignment
A
NCPUS = number of this type required (from JEQREQ)
Is NCPUS = 0 ?
YES
NO
Loop over NCPUS-tuples of CPU ID's in physical location preference order
END
NEXT
Can't find CPU's to assign for this type so job can't be scheduled at JTIM
JOK = 0
RETURN
Select this NCPUS-tuple
Loop over specific CPU ID's in this NCPUS-tuple
END
NEXT
Is this specific ID on the JEQREQ list of eligible CPU's ?
NO
YES
Loop over all time periods for this job
END
NEXT
Is this specific equipment ID available at this time (JEQAVA)
YES
NO

Figure 7. INSERT (CPU selection)


A
Next select MTU's
Choose one of the selected CPUS --IDCPU
NMTU = number of MTU's required (from JEQREQ)
Is NMTU = 0?
YES
B
NO
Loop over all specific MTU ID's in same room as IDCPU in preference order relative to IDCPU location
END
NEXT
Can't find MTU's to assign so JOB can't be scheduled at JTIM
JOK = 0
RETURN
Is this specific MTU ID on the JEOREQ list of eligible MTU's ?
NO
YES
Loop over all time periods for this job
NEXT
END
Select the MTU
NMTU = NMTU - 1
Is NMTU = 0 ?
NO
YES
Is this specific MTU ID available at this time? (JEQAVA)
YES
MTU selection complete --to on to TTY
B
NO

Figure 8. INSERT (MTU selection)


B
Next select TTY's
NTTY = number of TTY's required (from JEQREQ)
Is NTTY = 0 ?
YES
C
NO
END
Loop over all specific TTY ID's in same room as IDCPU in preference order relative to IDCPU location
NEXT
Can't find TTY's to assign so JOB can't be scheduled at JTIM
JOK = 0
RETURN
Is this specific ID on the JEQREQ list of eligible TTY's ?
NO
YES
Loop over all time periods for this job
NEXT
END
Select this TTY NTTY = NTTY - 1
Is this specific TTY ID available at this time? (JEQAVA)
YES
Is NTTY = 0 ?
NO
YES
TTY selection complete --go on to other equipment
NO
C

Figure 9. INSERT (TTY selection)



Figure 10. INSERT (select other equipment)

4. Remove Job from Schedule (REMOVE)

Sometimes the only way to schedule a job J is to remove a different job K from the schedule to make room for J and then to reschedule K in a different place. Subroutine REMOVE will remove a job from the schedule and will update a JEQAVA equipment availability array to reflect the schedule change. Usually most of the candidates K for removal will not result in a successful rescheduling, so the removal will be temporary with K being put back in its original place before trying another job K to move. To make the replacement easier, subroutine REMOVE will save the job time and equipment assignment for job K in a temporary array called KSAVE; then replacement will not require searching for available equipment.

The calling sequence is

```
CALL REMOVE (JOBK, KSAVE, JEQAVA, JTIM, JPERS, JOK)
```

where the input parameters are

JOBK = the job K to be removed from the schedule

JEQAVA = an equipment availability array to be updated

JTIM = the first time period represented in the equipment availability array JEQAVA

JPERS = the number of time periods represented in the equipment availability array JEQAVA

(Note that JTIM, JPERS, and JEQAVA usually relate to the time where we are trying to schedule job J. This overlaps with the time where job K is currently scheduled, but the times need not be identical.)

The subroutine output is

KSAVE = all scheduled time and equipment assignments for job K are saved here just in case we might have to replace job K later

and

$$JOK = \begin{cases} 0 & \text{if the job JOBK was not found on the schedule--thus cannot remove it} \\ 1 & \text{if removal completed as requested} \end{cases}$$

In addition the subroutine will delete the scheduled time and equipment for job JOBK from the Schedule files.

The subroutine decision logic is straightforward and is displayed in the flowchart of Figure 11.


START
Is JOBK on the schedule ?
NO
JOK = 0
RETURN
YES
JOBTIM = start time
JOBPER = number periods for JOBK. Save these in KSAVE array
Compute overlap between the time periods for JOBK and the time periods for JEQAVA as the interval from J1 to J2
END
Loop over all equipment assigned to JOBK (from Schedule File)
NEXT
JOK = 1
Delete time and equipment assignments in Schedule files for JOBK
RETURN
Save this equipment assignment in KSAVE array
END
Loop over time periods from J1 to J2
NEXT
Increment availability in JEQAVA for this equipment in this time period

Figure 11. REMOVE subroutine

5. Replace Job in Schedule (REPLAC)

Suppose that an attempt to schedule job J by removing job K from the schedule has been made and has failed. Before proceeding to other attempts at scheduling J we should replace K in its previous place in the schedule. Since nothing else has changed, the previous time and equipment assignments (in KSAVE) are still valid, so we can bypass all the searching in subroutine INSERT and simply put job K back in its old place. Subroutine REPLAC accomplishes this and updates the equipment availability. It is assumed that no other changes have been made since a previous REMOVE operation.

The calling sequence is

```
CALL REPLAC (JOBK, KSAVE, JEQAVA, JTIM, JPERS)
```

where the input parameters are

JOBK = the job to be replaced

KSAVE = temporary array where the schedule information for JOBK is stored

JEQAVA = equipment availability array to be updated

JTIM = first time period represented in JEQAVA

JPERS = number of time periods represented in JEQAVA

The only subroutine output is that Schedule files will be updated to reflect the scheduled time and equipment for JOBK. The subroutine is essentially the reverse of REMOVE. Decision logic is given in Figure 12.

6. Compute Number of Time Periods (PERIOD)

The scheduling method described in this report assumes that the week for which the schedule is constructed is divided into a number of distinct, sequentially numbered time periods. They need not be of equal length. Each scheduling request includes a list of acceptable starting times and a job duration. For different starting times, the number of periods affected by a job may differ. Thus it is necessary to determine the number of periods affected since the process of determining whether a job will fit at a given starting time involves examining each of the affected periods to determine if sufficient equipment is available.

The program described in Chapter V uses a subroutine called PERIOD to determine the number of periods involved for a given start time and job duration. It assumes that the result is less than or equal to four periods.


START
JOBTIM = start time
JOBPER = number periods for JOBK from KSAVE
Compute overlap between the time periods for JOBK and the time periods for JEQAVA as the interval from J1 to J2
END
Loop over all equipment assigned to JOBK (from KSAVE)
NEXT
Write time and equipment assignments for JOBK into Schedule files
RETURN
END
Loop over time periods from J1 to J2
NEXT
Decrement availability in JEQAVA of this equipment in this time period

Figure 12. REPLAC subroutine

D. Decision Logic for the Scheduling Program

The subroutines of the preceding section perform the basic bookkeeping functions of scheduling. What remains is to define a control program--the scheduling program--which generates alternatives to try, schedules jobs when these alternatives work, and interacts with a human scheduler at the control desk at appropriate times.

The basic principle of operation for the scheduling program is to step through many alternative combinations of time and equipment until it finds a feasible combination. The power of the computer is that it can accurately and rapidly repeat this rather simple minded alternative testing for far more alternatives than a human could process. The weakness of the computer is that it will test only the alternatives it is programmed to generate. It is quite likely that some schedule combinations that seem almost intuitively best for humans will be missed entirely by the machine. Thus we propose a system in which the computer interacts with a human operator to try to achieve the best features of each.

In this section we concentrate on the logic of the computer program. The next section will discuss interaction between the program and the human.

1. Generation of Alternatives

In a schedule building operation which processes jobs in a given job request sequence, the typical problem is to

find a place for the next job, J, in the sequence in an already partly completed schedule. There are many alternative times and equipment selections which should be tried, and generally several of these alternatives may be feasible. Our program will use the expressed preferences of the job request submitter to generate alternatives in a preferred order, and will select the first feasible alternative found.

The simplest step in generating alternatives is to try all combinations of acceptable configurations, acceptable times, and eligible equipment to see if the job, J, will fit at any acceptable place in the existing schedule. This can be done quickly and accurately by the computer by calling subroutine INSERT for each acceptable combination of time and configuration. Arranging the trials in preference order on configurations and times will guarantee that the first feasible combination found is the best possible.

A more complicated set of alternatives arises when we consider modifying the existing schedule to make room for the new job. One way of doing this is to (temporarily) remove an already scheduled job K from the schedule. If this makes enough room to schedule job J, then we hope to find room elsewhere for job K. If job J still doesn't fit, then a different K can be tried. If eventually a K is found such that both jobs fit back into the schedule, then the modification has been successful. If no such K is found, then since J is lower in the processing sequence then any already scheduled job K, J must be left unscheduled or we must try some other alternatives.

Other more complex schedule modifications can be imagined, for example,

a) Move two adjacent jobs K and L to make room for job J and then try to put K and L back into the schedule elsewhere

b) Move job K to make room for job J. Then move job L so K can be put back into the schedule. Finally try to put L back into the schedule elsewhere.

2. Flowchart

In Figures 13, 14 and 15, we specify the decision logic for the direct scheduling (J only) and single job schedule modification (J&K) discussed above. The logic could easily be expanded to incorporate other alternatives.


START
Loop over all jobs J in the job request processing sequence
NEXT
END
D
All jobs processed schedule complete
Return control to human
Get job request information for job J from file. JPERS = # periods
END
Loop over all possible configurations JCNFG for job
NEXT
F
Tried everything--can't get job J into schedule--call for human help, then
D
Get equipment requirements for configuration JCNFG
CALL GETEQ(JCNFG, JEQREQ)
Loop over all acceptable times JTRYTM for job J in preference order
NEXT
END
This configuration JCNFG for job J won't fit into schedule without moving something else--go try it
E
Get equipment availability
CALL EQAVAL(JTRYTM, JPERS, JEQAUA)
Try job J at time JTRYTM
CALL INSERT(J, JTRYTM, JPERS, JCNFG, JEQREQ, JEQAVA, 1, JOK)
is JOK = 1 ?
NO
YES
job J is scheduled, pause for human OK, then do next job
D

Figure 13. SCHEDULER


E
Now try removing job K to make room for J
Loop over all acceptable times JTRYTM for job J in preference order
NEXT
END
Can't find any way to schedule J using this configuration--go try the next one
F
Get equipment availability
CALL EQAVAL(JTRYTM, JPERS, JEQAVA)
G
END
NEXT
Loop over all jobs K which are running at time JTRYTM (Schedule cross reference file)
Replace job K back where it was removed
CALL REPLAC(K, KSAVE, JEQAV
JTRYTM, JPERS)
Remove job K from schedule
CALL REMOVE(K, KSAVE, JEQAVA, JTRYTM, JPERS, JOK)
Try to insert job J
CALL INSERT (J, JTRYTM, JPERS, JCNFG, JEQREQ, JEQAVA, 1, JOK)
Is
JOK = 1
?
NO
YES
Job J inserted, now must find a new place for job K
H

Figure 13. SCHEDULER (continued)


H
Try to find a new place for job K
Get job request information for job K from file, KPERS = # periods
Loop over all configurations KCNFG for job K
NEXT
END
Unable to get K back into schedule in any way -
Get equipment requirement for this configuration
CALL GETEQ(KCNFG, KEQREQ)
Take J back out and try a different K
CALL REMOVE(J, JSAVE, JEQAVA, JTRYTM, JPERS, JOK)
G
END
Loop over all acceptable times KTRYTM for job K in preference order
NEXT
Get equipment availability
CALL EQAVA(KTRYTM, KPERS, KEQAVA)
Try to put K into schedule
CALL INSERT(K, KTRYTM, KPERS, FCNFG, KEQREQ, KEQAVA, 1, KOK)
is KOK = 1 ?
NO
YES
J and K are now both scheduled-pause for human OK then do next job
D

FIGURE 13. SCHEDULER (continued)

E. Interaction With Human Scheduler

In this section we discuss the ways in which the human scheduler might interact with the scheduling program. His interaction with the system as a whole has been discussed already in Section II-D and we will consider here only the followng two topics:

(a) The interaction of the human and the scheduling program during the initial scheduling process,

(b) interaction after the schedule has been produced.

The general concept in the scheduling system is that the human scheduler should be in control of the system and that the scheduling program should serve as an aid in producing and revising the schedules. We want the human scheduler to have the option of suggesting possible changes that the computer can evaluate and of modifying the computer produced schedule if he wishes to do so.

1. Initial Schedule Preparation

During the actual scheduling process the scheduler will interact with the program in several ways. These include the following preliminary steps just before running the scheduling program:

a) scanning the data files to check for completeness, obvious errors, ...

b) manually preordering jobs if desired

c) removing from the equipment availability list any equipment known to be down for the next week.

We envision the program running in an interactive mode whereby the scheduler is notified when the program is unable to schedule any job, say J. Upon such notification the scheduler would have several options available, first to collect information, then to take action if desired. In a computer based system such as this we cannot expect that the scheduler will have too much insight into subtle changes that might improve the schedule. The reason for this is that the scheduler will no longer be working directly with the job requests as he does now on the scheduling board where he gains insight into possible schedule modifications. In the absence of this insight, the challenge in system design is to make the system responsive to a variety of questions he might wish to ask.

Listed below are several information requests to which the system should be responsive when queried by the scheduler. We envision that the scheduler would ask these questions before suggesting any schedule modifications to the computer program, and that asking these questions would cause no change in the existing partial schedule.

(i) Requests for information

a) Display the existing schedule:

-jobs scheduled in each time period

-equipment assigned to each job.

This request can be fulfilled simply by reading and displaying information contained in the existing schedule files.

b) Display job request information for job J includin
   -identification
   -sequence number
   -configuration(s) requested
   -times requested
   -number of hours requested

This request can also be satisfied by displaying information contained in existing files.

c) List all times when job J could be scheduled without deleting jobs already scheduled. (Assumin that an attempt has already been made to schedule job J, these times must be currently designated as unacceptable for J or else the job would already have been scheduled.)

This request would be satisfied by calling on the subroutine INSERT and simply noting whether the variable JOK in that routine is 0 (job cannot be inserted) or 1 (job can be inserted). A provision would have to be made in INSERT to prevent its changing variables when JOK = 1 since this is an information request only. The variable JACTN = 0 serves this purpose.

d) What equipment shortage prevents job J from being scheduled beginning at time t, and what other jobs are assigned equipment of that type at the same time?

This information can be obtained from INSERT since if INSERT fails it is because an equipment shortage has been identified. A provision would be necessary to record all shortages instead of simply exiting from INSERT when the first shortage is identified.

The system's response to item (b) might indicate some currently unacceptable times at which job J could be scheduled. The scheduler could contact that programmer and determine if any of those times could be used. If so, job J could be scheduled. If not, more subtle changes will have to be made or else job J will remain unscheduled.

The system's response to (c) will inform the scheduler regarding conflicts which prevent job J from being inserted at its requested times. If sufficient reason exists for doing so, the scheduler might later force job J into the schedule and a conflicting job, say K, out. Notice that if this is done, it will be impossible to find an acceptable time for job K without further schedule changes since all such interchanges between J and K would already have been tried by the scheduling program. What has not been tried is removing two jobs simultaneously, say K and L and then trying to reinsert them elsewhere although

this option could easily be included in the scheduling program.

After asking any of these questions the scheduler should have available the following alternatives.

(ii) Requests for action

a) do nothing and let the program continue,

b) extend the list of acceptable times for any job,

c) specify alternate configurations for any job,

d) reorder the job processing sequence

e) initiate a new run (after b, c, or d),

f) force job J into the schedule at time t and remove other specified jobs. (The program would determine which jobs to remove if job J were moved to the top of the processing list and a new run initiated.)

If the scheduler chooses not to intervene during the scheduling process he would still have the above options available upon completion of the computer run. Of course, in this case if all the jobs were successfully scheduled as requested he would probab make no changes, but if some jobs are not scheduled the scheduler would probably want to try some alternatives to see if the remaining jobs can somehow be inserted into the schedule.

2. Schedule Revision

After the schedule is completed and published there are several events that would necessitate a change in it. These include:

a) the unanticipated arrival of an urgent job whose priority demands that it be scheduled at a certain time;

b) equipment breakdown;

c) a job withdrawal.

While the first of these events should be very rare, its occurrence will cause concellation of some job or jobs. Such jobs will normally be treated as new arrivals and placed in the pending request file if no alternate time is found. However, if the scheduler chooses to do so, he can insert the displaced job in any new time period he desires. This action can cause further displacements and such cascading should not be allowed to propagate too far since it would be very disruptive.

The breakdown of any scheduled equipment near to run time will cause the cancellation of some job unless a reassignment of equipment is possible. If this is not possible and cancellation occurs, the scheduler should be able to use the scheduling program to search for alternative times in which the cancelled job could be scheduled. The cancelled job would be treated as a new request and would remain in the PENDING REQUEST file if no time is found for it. In exceptional cases, it could be rescheduled at the expense of other jobs.

Whenever a job is cancelled or voluntarily withdrawn from the schedule there is a possibility that some job in the PENDING REQUEST file can then be scheduled. The search through the PENDING REQUEST file for such a job could be initiated automatically or by a request from the scheduler.

V. DESCRIPTION OF PROGRAM AND RESULTS

In this chapter we discuss the FORTRAN program which was written to test the scheduling method proposed in this report. This program was designed only as a test mechanism and is not intended for implementation in its current form although it should serve as a useful model from which a final version can be prepared.

The overall logic of the program has already been discussed in Chapter IV and in this chapter we will confine our attention to a discussion of how this version differs from the version intended for implementation, a description of the data arrays used in this program, and the input required.

The scheduling method was tested by obtaining a typical week's scheduling requests from FCDSSA (week of 1 Nov. 76) and producing a schedule from them. In this chapter we also describe how the FCDSSA data was translated into a suitable input format for the program, and we will describe briefly the results of that experiment.

A. Differences Between the Test Program and A Version for Implementation

The test program described here differs from the version envisioned for implementation in the following ways:

a) the test program was written as a stand-alone program residing entirely in core memory.

b) The program is not interactive, thus no provision has been made for the scheduler to obtain information from it of the type discussed in Chapter IV, Section E and no way is provide for him to influence the schedule produced. The variable JACTN is not included in the test program.

c) The data files described in Chapter III of this report were replaced in this program by data arrays in core.

d) The test program assigns specific equipment only for MTU's, TTY's, and CPU's. The other types of equipment are not assigned to specifically identify individual pieces of equipment. Each type is simply allocated on the basis of numerical availability without regard for its specific ID or location.

B. Description of Test Program Data Arrays

Listed below are the data arrays used in the test program and a description of their contents.

The arrays occurring in MAIN are:

1. IEQ4JB (200,40): This array called "equipment for job" allows space for 200 jobs and twenty types of equipment. For each job, the entries in that row are in pairs:

   ...[equip ID, number of pieces] .....20 pairs.

   The entry specifies the ID number for some equipment as well as the number of pieces of that equipment assigned to this job. The information here corresponds to item p of the Current Week File in Chapter III.

2. ITM4JB (200,2): This array is called "time for job" and contains for each job start time assigned to the job and the number of periods occupied by the job. This information would be contained in the Current Week File described in Chapter III.

3. JB4TM (42,20): The "job for time" array contains 42 rows, one for each time period. In each row the 20 elements are job ID's corresponding to jobs scheduled at that time. A job ID will appear if the job is scheduled to begin at that time or if the job began earlier but overlaps into that time. This corresponds to the Schedule Cross Reference File of Chapter III.

4. NEQUIP (60): The "number of equipment" array contain the total number of pieces of equipment available for each of 60 distinct types. This corresponds to the Equipment File described in Chapter III.

5. IEQ4CG (60,40): This array "equipment for configuration" contains the definition of the equipment configuration for as many as 60 configurations. The data elements for each configuration are in pairs:

   ...[equip ID, number of pieces] .....

   The dimension 40 allows for as many as twenty pairs or twenty equipment types. This information corresponds to that in the Configuration File of Chapter III.

6. ISP4JB (200,49): The "specific equipment for job" array contains space for the ID's of the specific equipment assigned to each of 200 jobs. The test program assigns only TTY, MTU and CPU equipment by specific identifier. There are 49 such pieces of equipment. The assignment of specific equipment ID's was a feature added after the basic version of the scheduling program was completed. In the basic version equipment was allocated only the basis of numerical availability . This corresponds to item p of the Current Week File of Chapter III.

7. JBINFO (200,10): This array contains job information for each of 200 jobs. The information is:

   1. JSEQ, job sequence number.
   2. JNAME alpha job name.
   3. NCNFG, number of acceptable configurations for this job.
   4. JHRS, number of hours requested
   5. JNTM1, number of acceptable start times.
   6. Not used
   7.-10. Configuration numbers for this job listed in preference order.

   This information corresponds to that in the Pending Weekly Request File of Chapter III.

8. JBTIME (200,42): The "job time" array gives the ordered list of as many as 42 acceptable times listed in preference order for each of 200 jobs. The number of entries is JNTM1.

   This information is the same as item 8 of the Pending Weekly Request file of Chapter III.

9. NCFG (200): An array used only to store configuration numbers for later printing. The j^{th} element is the configuration number used when scheduling job J. Corresponds to the information in 9 of the Pending Weekly Request File of Chapter III.

10. JEQAVA (60,4): This array called "J equipment available" records the number of pieces of equipment available for each of the 60 types for the next four time periods beginning at the time period currently under consideration for job J.

11. JEQREQ (40): For the job designated J the "J equipment required" array stores up to 20 pairs of

    ...[equip ID, number required] ...

12. KEQAVA (60,4): Similar to JEQAUA.

13. KEQREQ (40): Similar to JEQREQ.

14. JSPAVA (60,4): This array records the specific equipment available for each of 60 types and four time periods.

15. KSPAVA: Similar to JSPAVA

16. JSAVE (91): This is a temporary array used to store information about the scheduling arrangements for job J. The array is used when job J is temporarily withdrawn from the schedule. If replacement is required it can be done quickly using JSAVE. The information is
    1. The scheduled time.
    2. The number of periods affected.
    3. 20 pairs of [equip ID, Number assigned].
    4. 49 numbers requesting the ID's of the specific equipment assigned to job J.

17. KSAVE (91): Similar to JSAVE.

18. JTIMS (42); The "J times" array holds the acceptable times for the current job, job J, in preference order. The data contained here duplicates the information contained in one row of JBTIME. The original concept was that information

on all the jobs would be stored peripherally (JBTIME) and the data for the current job would be brought into core as needed (JTIM).

19. KTIM (42): Similar to JTIM.

The arrays occurring only in the subroutine SPECIF are:

1. LOOK (17): This array is used as an address array. It stores an address which tells where to begin looking in the ISPEC array for the ID's of singles, pairs, triples and quadruples of CPU's.

2. ISPEC (776): The locations of the CPU's available in C&S 1 and C&S 2 were examined and groups of compatible CPU's for type A and B computers were identified. The ID members for groups of 1, 2, 3, 4 were listed in the array ISPEC in decreasing order of desirability beginning with C&S 2A. Following that were the lists for C&S 2B C&S 1A and C&S 1B computers. If more than four CPU's are needed, their ID's are found by looking through the list of single CPU's until the correct number of available units is found. If the desired number is not available, the job is not scheduled.

3. ISPTTY (24,8): This array holds the specific teletype ID's which are desirable for use with each CPU. For each of the 24 CPU's this array contains as many as eight ID's corresponding to compatible TTY's listed in descending order of desirability.

4. ISPMTU (24, 8): Similar to ISPTTY except this array holds MTU ID's.

5. NCPU (2): This array holds the ID for a CPU specifically assigned in C&S 1 or C&S 2 for the job currently under consideration. It is used to reference the arrays ISPTTY and ISPMTU.

C. Description of Time Periods in Scheduling Program

The test version of the scheduling program described here assumes that the scheduling week is divided into 42 time periods. Each day is divided into six periods whose boundaries are the times: 0000, 0400, 0700, 1200, 1600, 2000, 0000 . Period 1 is Monday from 0000 to 0400, and they are numbered consecutively thereafter.

The subroutine PERIOD is called for each scheduling request to determine the number of periods which that job will overlap if it begins at the time currently being requested and continues for the number of hours required. The subroutine assumes the number of periods affected is four or fewer.

D. Input Data Required for Scheduling Program

The input data required for the scheduling program is described in general terms in this section. The exact data formats can be determined by examining the program listing.

For each job the following information is required:

a) A unique ID number $\leq$ 200. The program currently processes the jobs in the order input, but provision is made in the program (see comments) for other orderings if desired.

b) A job name.

c) The number of acceptable configurations $\leq$ 4.

d) The number of hours requested.

e) The number of acceptable times $\leq$ 42.

f) A list of the acceptable configurative numbers.

g) An ordered list of acceptable times.

In addition to the data for the individual jobs, the data describing the configurations must be available. This includes:

a) The number of configurations

b) (equip ID, number) in pairs for each configuration. Up to 20 pairs are allowed.

Date describing the equipment available must be available including:

a) The number of equipment types.

b) The number of pieces available for each type.

The existing test program handles only three specific types of equipment TTY's, MTU's and CPU's. Data is required (in subroutine SPECIF) regarding the preference order in which these pieces of equipment are assigned. This data is currently read in as a BLOCK DATA subroutine.

Section V-F describes the method of assigning specific equipment.

E. Description of Test Problem

Data for a typical week's scheduling requests (1 Nov 1976) was obtained from FCDSSA and prepared as input to the test program.

The first step was to assign a specific ID number to each piece of equipment that is involved in the schedule. Table 1 shows the ID numbers assigned.

The next task was to translate the individual job requests into the required input format. The result of this can be seen most easily by looking at the output section of the computer program, but some explanation is needed. For example, job number 1 was a maintenance job requesting one configuration, seven hours at one acceptable time. It requested configurations 3 and time 1. Jobs 2-5 were also maintenance jobs.

Some guesswork was necessary in translating the job requests since we are not familiar with the needs of the individua programmers. For example, the request from ASIS-05 was interprete

TABLE 1. Equipment Numbers as Used in Test Program

EQUIP #	NAME	AVAIL
1	Computer A C&S 2 (α's)	7
2	Computer B C&S 2 (α's)	7
3	Computer A C&S 1 (#s)	5
4	Computer B C&S 1 (#s)	6
5	Mag Tape RD-243	10
6	Mag Tape RD-294	2
7	Mag Tape RD-281	4
8	Mock-up NTDS 1	1
9	Mock-up NTDS 2	1
10	Mock-up NTDS 3	1
11	Mock-up NTDS 4	1
12	Mock-up NTDS 4a	1
13	Mock-up NTDS 5	1
14	Mock-up NTDS 6	1
15	Mock-up NTDS 7	1
16	Mock-up NTDS 7a	1
17	Mock-up NTDS 8	1
18	Mock-up PC E	1
19	CATCC1	1
20	ATDS 1,2	1
21	ASIS 1	1
22	DD963	1
23	Ref Mem Unit	6
24	Simulators EW1	1
25	Simulators LMS	1
26	Simulators SM 319 (1-5)	5
27	Simulators SM 319 (6-10)	5
28	Simulators SM 319 (11,12)	2
29	Simulators 441 (13-19)	7

Table 1. Continued.

#	NAME	AVAIL
30	Comm. USQ - 59 (1)	1
31	Comm. USQ - 59 (2)	1
32	Comm. USQ - 36 (3)	1
33	Comm. USQ - 36 (4)	1
34	Comm. SSQ - 29 (5)	1
35	Comm. SSQ - 29 (6)	1
36	Comm. CP - 800	1
37	Comm. SSW - 1A, 1C	2
38	Comm. KG 22	1
39	Radar, Live	1
40	Perif: Vid Proc	1
41	MK 9/11	1
42	WCP	1
43	BUP	1
44	KCMX	4
45	PES( )	7
46	PES( )	9
47	KSC	5
48	RO-280	3
49	1532/1232	1
50	RP-161	1
51	ECMU	5
52	Additional UYK-7	1
53	UYK-20	6
54	UYA-5	1
55	TTY	20
56	DUMMY (ASIS-05)	1

as a request for seven blocks of four hours each at any of 10 times. This was broken into seven separate requests (numbered 52-58) and to prevent any two from occurring simultaneously we defined a dummy piece of equipment (#56, one available), needed by each job. Other requests were also broken into several separate requests. Jobs 66 and 67 are both named SAIL and indicate that four hours is requested Tuesday or Wednesday afternoon and four hours on Thursday or Friday.

Associated with each of these job requests is a configuration number. The configurations are defined in the data input and are printed out for easy reference.

F. Assignment of Specific Equipment

The initial version of this test program assigned equipment to jobs on the basis of numerical (and temporal) availability only. The modified version, discussed in this chapter, goes one step farther and deals with individual pieces of equipment when assigning CPU's, TTY's and MTU's. This section discusses the method used in assigning this specific equipment.

The reason for dealing with specific equipment in these three categories is that not all possible configuration are spatially convenient and it is necessary to select groups of equipment which will be acceptable to the users. For the other types of equipment, spatial location is not as critical and that

equipment is not dealt with in the same detail as CPU's, TTY's and MTU's. When the schedule is published, or at least when the equipment is hooked-up, it will be necessary to select specific prices of equipment for assignment to the individual jobs. If any of the other equipment is critical because of its compatibili or incompatibility with other equipment, it can be assigned by the scheduling program in the same way CPU's, TTY's and MTU's are assigned. But if no constraints exist of the compatibility of other equipment, any piece will do, and it is unnecessary to go to additional effort to select it during the scheduling process.

When dealing with a job, say job J, the program first gets the basic data for that job. This includes the times and configuration(s) requested by the job and its duration. The firs step is to call the subroutine GETEQ and examine the configuratio file to determine the type and quantity of equipment requested. Next the subroutine PERIOD is called to compute the number of periods which would be affected by this job if it is assigned to the starting time currently being considered. The subroutine EQAVAL determines the total amount of equipment available in each of the periods (up to 4) affected by the job and plans in the results in the arrays JEQAVA and JSPAVA. When INSERT is called a comparison is made to determine if enough equipment is available to accommodate this job. This check is on the basis of numerical availability only. If this test fails, the program moves to the next time, configuration or job. If

successful, a check must still be made on the availability of compatible CPU's, TTY's and MTU's. This is done in subroutine SPECIFIC.

SPECIFIC first examines the CPU's (equipment ID numbers 1, 2, 3 and 4). Suppose 3 C&S 2A computers are required. The array LOOK is used to store an address in the array ISPEC where a list of compatible triples of C&S 2A computers begins. The array ISPEC is accessed at that point and if the first three C&S 2A computers are available, they are assigned by changing the array ISP4JB. If not, the next three on the list are examined.

Assuming the desired number of CPU's is available in an acceptable group, the program goes on to examine TYY's and MTU's. If no acceptable group of CPU's is found the program returns to INSERT then to MAIN to try the next time, configuration, or job. No attempt is made to rearrange existing assignments of specific equipment even though we know adequate numbers of CPU's are available or we would not have entered SPECIF.

All the CPU's in C&S 1 and C&S 2 were examined in preparing the lists of single, doubles, triples, and quadruples appearing in the array ISPEC. Personnel at FCDSSA should examine these lists to determine if the preference ordering we assigned is suitable from the user's point of view. This data appears in the program listing as BLOCK DATA called ISPEC. The beginning address in ISPEC for various groups can be found in LOOK as shown below in Table 2.

Table 2. Correspondence between Addresses in ISPEC and groups of computers.

(Address in ISPEC)-1	Type	Number of Computers
LOOK(1) = 0	C&S 2A	1 (singles)
(2) = 7	C&S 2A	2 (doubles)
(3) = 49	C&S 2A	3 (triples)
(4) = 154	C&S 2A	4 (quadruples)
(5) = 294	C&S 2B	1 (singles)
(6) = 301	C&S 2B	2 (doubles)
(7) = 343	C&S 2B	3 (triples)
(8) = 448	C&S 2B	4 (quadruples)
(9) = 588	C&S 1A	1 (singles)
(10) = 592	C&S 1A	2 (doubles)
(11) = 604	C&S 1A	3 (triples)
(12) = 616	C&S 1A	4 (quadruples)
(13) = 620	C&S 1B	1 (singles)
(14) = 626	C&S 1B	2 (doubles)
(15) = 656	C&S 1B	3 (triples)
(16) = 716	C&S 1B	4 (quadruples)
(17) = 776	dummy address	

If more than four computers are required, the subroutine abandons the idea of selecting compatible groups and simply reads down the list of singles until an adequate number of CPU's is found.

When assigning specific TTY's and MTU's the program begins by referencing a CPU already assigned (if any) and selects TTY's or MTU's compatible with that CPU. This is done for TTY's by reading in the array ISPTTY where for each CPU there is listed, in decreasing order of desirability, the acceptable TTY units. For MTU's the list is found in ISPMTU. In each case,assuming adequate numbers of TTY's and MTU's are found, they are assigned to the current job. If it is found that insufficient TTY's or MTU's are available, the program deletes all previously assigned equipment (e.g. CPU's) before returning to INSERT with a failure indication, JOK = 0.

G. Summary of Results from Test Problems

The results of the test problem can be clearly seen by examining the computer output in Appendix A.

Ninety-one jobs were examined, 173 individual attempts at job insertion were made; 54 of these were attempts at replacing a job (K) when temporarily displaced by another job (J) lower on the processing list. In the course of the scheduling, 78 job removals were attempted. Of the ninety-one jobs only four were

left unscheduled. Three of these had allowed only one acceptable time which conflicted with another job requesting some of the same equipment. No amount of shuffling would have found a feasible solution. It is in this kind of situation that the human scheduler could use his knowledge of the programmer's needs to extend the list of acceptable job times,to modify the configuration, reduce the duration requested, or make some other accommodation. The other unscheduled job had specified three acceptable times and the reasons it remained unscheduled are a little more subtle, but again the human, if presented with the appropriate information, might be able to resolve the problem.

VI. CONCLUSIONS AND RECOMMENDATIONS

A. Summary

In this report we have presented the design for an interactive scheduling program as a part of an overall system, which includes NTDS equipment status reporting, equipment scheduling, and, eventually, automatic hookup via the High Speed Digital Switch. This design includes file definitions, proposals for file management, program modules, and detailed flowcharts for the decision logic in the crucial scheduling module.

In addition, a prototype scheduling program has been written using the proposed design and tested on the actual job requests for a typical week. The results indicate that a stand-alone computer program can do a good job of scheduling, and we anticipate that the addition of an interactive capability would allow the human scheduler to further improve these results using the scheduling program.

B. Major Tasks Remaining Before Implementation

Several steps are required to implement the automatic scheduling system described here. The steps presented are arranged to minimize the impact on the users and will cause very little change in their routines until a workable system can be demonstrated.

The major steps required are:

1. Define and establish the configuration file.
2. Modify the job request format so that users specify their requests in terms of
   -configuration numbers
   -preferred times.
3. Concurrent with Steps 1 and 2, program and debug a useable version of the scheduling program.
4. Upon the completion of Steps 1 and 2, the user's requests are coming to the schedule with the appropriate information for input to the scheduling program. The information must be input into the SCHEDULE REQUEST FILE for use by the scheduling program.

   The actual scheduling process is of no importance to the user and the transition from manual scheduling to the scheduli program can be made at this point without affecting the user. Any difficulties which arise are the concern of the schedule not the users. In this sense any problems are confined and will not cause widespread disruption in FCDSSA.
5. Make any necessary modifications to the scheduling program based on the experience gained in Step 4.
6. Expand the system to allow users to input directly to SCHEDULE REQUEST file and to interrogate the system for scheduling information.
7. Incorporate maintenance information via the EQUIPMENT file into the scheduling system.
8. Interconnect the scheduling system with HSDS.

APPENDIX A

EQUIPMENT SCHEDULING PROGRAM

```
0001              DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(60)
0002              DIMENSION IEQ4CG(60,40),ISP4JB(200,40)
0003              DIMENSION JBINFO(200,10),JBTIME(200,42),NCFG(200)
0004              DIMENSION JEQAVA(60,4),JEQREQ(40)
0005              DIMENSION KEQAVA(60,4),KEQREQ(40)
0006              DIMENSION JSPAVA(60,4),KSPAVA(60,4)
0007              DIMENSION JSAVE(91),KSAVE(91)
0008              DIMENSION JTIMS(42),KTIMS(42)
0009              DIMENSION JNEXT(200)
0010              COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEQ4CG
0011              COMMON NTYPE,NSP,ISP4JB
                  C
                  C
                  C
                  C          DESCRIPTION OF DATA INPUT
                  C
                  C
                  C          NBRCFG                                  (1CARD)          I5
                  C          EQUIP ID, NBR.....(IN PAIRS)            (NBRCFG CARDS)   40I2
                  C
                  C
                  C          NTYPE   NSP                             (1 CARD)         2I5
                  C          NEQUIP.....FOR EACH TYPE                (1 CARD)         40I2
                  C
                  C
                  C          JMAX                                    (1CARD)          I5
                  C               JSEQ,JNAME,NCNFG,JHRS,JNTM1        (JMAX CARDS)     I5,A5,3I5
                  C               EACH OF THESE CARDS IS FOLLOWED BY THE
                  C               NEXT  2  TYPES OF CARDS IF APPROPRIATE
                  C               (1) CONFIG NUMBERS                 (1 CARD)         40I2
                  C               (2) PREFERRED TIMES                (0,1,2,3CARDS)   40I2
                  C
                  C
                  C  READ IN DATA TO DEFINE CONFIGURATION FILE
                  C  READ NUMBER OF CONFIGURATIONS UP TO 50
0012                   READ (5,1000) NBRCFG
0013                   WRITE (6,1001) NBRCFG
0014               1001 FORMAT(' NBRCFG=',I5)
                  C  READ CONFIGURATION DATA. EQUIP ID - NUMBER PIECES REQUIRED UP TO 20 PAIRS
0015                   DO 11 I=1,NBRCFG
0016                   READ (5,5000) (IEQ4CG(I,J),J=1,40)
0017               5000 FORMAT (40I2)
0018                   WRITE (6,5002) I
0019               5002 FORMAT ('0CNFG=',I3)
0020                   WRITE (6,5001)(IEQ4CG(I,J),J=1,39,2)
0021               5001 FORMAT ('    EQ TYPE',2015)
0022                   WRITE (6,5003)(IEQ4CG(I,J),J=2,40,2)
0023               5003 FORMAT ('    NUMBER ',2015)
0024                11 CONTINUE
                  C  READ IN DATA FOR EQUIP AVAILABLE
                  C  WE ALLOW 60 EQUIP TYPES
0025                   READ (5,1000) NTYPE,NSP
0026                   WRITE(6,1002) NTYPE,NSP
0027               1002 FORMAT(/////' NTYPE=',I2,' NSP=',I2)
0028                   READ (5,5000) (NEQUIP(J),J=1,NTYPE)
                  C  INITIALIZE NEQUIP
0029                   IFILL=NTYPE+1
0030                   IF(IFILL.GE.61) GO TO 72
0031                   DO 71 II=IFILL,60
0032                   NEQUIP(II)=0
0033                71 CONTINUE
0034                72 CONTINUE
0035                   WRITE (6,1003)
0036               1003 FORMAT(' NUMBER OF PIECES OF EQUIPMENT AVAILABLE')
0037                   WRITE (6,1013)(J,J=1,NTYPE)
0038               1013 FORMAT(' TYPE  ',412,13,5512,13,I2)
0039                   WRITE (6,1023)(NEQUIP(J),J=1,NTYPE)
004C               1023 FORMAT (' NMBR  ',412,13,5312,13,I2)
```

```
0044          1000 FORMAT(2I5)
                   C
                   C
                   C  READ THE DATA FOR EACH JOB
                   C  STORE IN ARRAY JBTIME(JSEC, 1 TO 42)
                   C
0045                    DO 1 IN=1, JMAX
0046                    READ (5,2000) (JBINFO(IN,I), I=1,6)
0047           2000 FORMAT (I5,1X,A4,4I5)
0048                    J3=JBINFO(IN,3)+6
0049                    READ (5,5000)(JBINFO(IN,I),I=7,J3)
0050                    J5=JBINFO (IN,5)
0051                    READ (5,5000) (JBTIME(IN,I),I=1,J5)
0052           3000 FORMAT (16I5)
                   C
                   C
                   C
0053                    NXXX=6+JBINFO(IN,3)
0054                    WRITE(6,22)(JBINFO(IN,MM),MM=1,NXXX)
0055              22 FORMAT('0 JSEC=',I3,'  JNAME=',A4,'  JCNFG=',I3,'  JHRS=',I3,
                     1'  NBR TIMES ACCEPTABLE=',I2,'  NBR REJECTED=',I3,' CONFIG=',4I3)
0056                    NGOOD=JBINFO(IN,5)
0057                    WRITE (6,7000) (JBTIME(IN,M),M=1,NGOOD)
0058           7000 FORMAT (' TIMES=',42I3)
                   C
                   C
0059                    ITM4JB(IN,1)=0
0060                    ITM4JB(IN,2)=0
0061            1 CONTINUE
                   C  THE TIMES FOR EACH JOB ARE NOW ARRANGED
0062                    WRITE (6,7500)
0063           7500 FORMAT (///'0 SUMMARY OF SCHEDULING PROCESS'/)
                   C  INITIALIZE JB4TM
0064                    DO 90 IX=1,42
0065                    DO 80 IY=1,20
0066                    JB4TM(IX,IY)=0
0067              80 CONTINUE
                   C  INITIALIZE IEQ4JB AND  ISP4JB
0068                    DO 92 IX=1,200
0069                    DO 90 IY=1,40
0070                    IEQ4JB(IX,IY)=0
0071              90 CONTINUE
0072                    DO 91 IZ=1,45
0073                    ISP4JB(IX,IZ)=0
0074              91 CONTINUE
0075              92 CONTINUE
                   C
                   C  ROUTINE THAT PREORDERS JOBS....MUST FILL JNEXT(JMAX)
0076                    DO 333 III=1,JMAX
0077             333 JNEXT(III)=JBINFO(III,1)
                   C
                   C
                   C
                   C
                   C
                   C  TRY TO INSERT JOB J IN EXISTING HOLES
0078                    DO 100 JJJ=1,JMAX
0079                    J=JNEXT(JJJ)
0080                    J3=JBINFO(J,3)
0081                    DO 99 JCON=1,J3
0082                    WRITE (6,1100) J
0083           1100 FORMAT ('      WORKING ON JOB ',I5/10X,'TRY IT IN   RESULT')
                   C  GET DATA FOR JOB J
0084                    DO 334 JFIND=1,JMAX
0085                    IF (J.EQ.JBINFO(JFIND,1))GO TO 335
0086              334 CONTINUE
0087              335 CONTINUE
0088                      JSEC=JBINFO(JFIND,1)
0089                      JNAME=JBINFO(JFIND,2)
0090                      JCNFG=JBINFO(JFIND,6+JCON)
0091                      JHRS=JBINFO(JFIND,4)
0092                      JNTM1=JBINFO(JFIND,5)
```

```
C  USE NCFG        TO STORE CURRENT CONFIG FOR LATER PRINTING
0093            NCFG(J)=JCNFG
0094              DO 50 I=1,42
0095           50   JTIMS(I)=JBTIME(JFIND,I)
0096              CALL GETEQ(JCNFG,JEQREQ)
C  TRY TIMES FOR JOB J IN ORDER
0097            DO 200 JTRY=1,JNTM1
C
C
C
C
0098              JTRYTM=JTIMS(JTRY)
0099              CALL PERIOD (JTRYTM,JFRS,JPERS)
0100              IF (JTRYTM+JPERS.GT.43) GO TO 200
0101              CALL EQAVAL (JTRYTM,JPERS,JEQAVA,JSPAVA)
0102              CALL INSERT (J,JTRYTM,JPERS,JEQAVA,JEQREQ,JOK,JSPAVA)
0103              WRITE (6,1200) JTRYTM, JOK
0104          1200 FORMAT (14X,I2,5X,I1)
0105              IF (JOK.EQ.1) GO TO 100
0106           200 CONTINUE
C  J DID NOT FIT IN ANY EXISTING HOLES
C
C  EXAMINE TIMES FOR JOB J AND TRY MOVING K TO ANOTHER SPOT
C
0107              WRITE (6,1300) J
0108          1300 FORMAT (10X,'NOW TRY IN  REMOVE JOB',I4,'FIT?')
0109              DO 300 JTRY=1,JNTM1
0110              JTRYTM=JTIMS(JTRY)
0111              WRITE (6,1400) JTRYTM
0112          1400 FORMAT (15X,I2)
0113              CALL PERIOD (JTRYTM,JFRS,JPERS)
0114              CALL EQAVAL (JTRYTM,JPERS,JEQAVA,JSPAVA)
C
C
0115              DO 400 KTRI=1,20
0116              K=JBTIM(JTRYTM,KTRI)
0117              IF (K.EQ.0) GO TO 400
C
0118              CALL REMOVE (K,KSAVE,JEQAVA,JTRYTM,JPERS,JSPAVA)
0119              CALL INSERT (J,JTRYTM,JPERS,JEQAVA,JEQREQ,JOK,JSPAVA)
0120              WRITE (6,1500) K,JOK
0121          1500 FORMAT (25X,I2,5X,I1)
0122              IF (JOK.EQ.0) GO TO 399
0123              WRITE (6,1600) K
0124          1600 FORMAT (40X,'TRY TO REPLACE',I3/40X,'IN PERIOD    RESULT')
C
C  WE INSERTED J AT TIME JTRYTM
C  WE MUST REINSERT K
C  GET DATA FOR JOB K
0125              K3=JBINFO(K,3)
0126              DO 501 KCON=1,K3
0127              DO 434 KFIND=1,JMAX
0128              IF(K.EQ.JBINFO(KFIND,1))GO TO 435
0129            434 CONTINUE
0130            435 CONTINUE
0131                KSEC=JBINFO(KFIND,1)
0132                KNAME=JBINFO(KFIND,2)
0133                KCNFG=JBINFO(KFIND,6+KCON)
0134                KHRS=JBINFO(KFIND,4)
0135                KNTM1=JBINFO(KFIND,5)
C  USE NCFG        TO STORE CURRENT CONFIG FOR LATER PRINTING
0136              NCFG(K)=KCNFG
0137                DO 60 I=1,42
0138             60   KTIMS(I)=JBTIME(KFIND,I)
0139                CALL GETEQ (KCNFG,KEQREC)
C  TRY TIMES FOR JOB K
0140              DO 500 KTRY=1,KNTM1
0141              KTRYTM=KTIMS(KTRY)
0142              CALL PERIOD (KTRYTM,KFRS,KPERS)
0143              IF (KTRYTM+KPERS.GT.43) GO TO 500
```

```
0147          1700 FORMAT (45X,I2,8X,I1)
0148               IF (NCK.EQ.1) GO TO 1C0
0149           500 CONTINUE
               C  WE COULD NOT FIT K ANYWHERE WITH THIS CONFIG, TRY NEXT
0150           501 CONTINUE
0151               CALL REMOVE (J,JSAVE,JEQAVA,JTRYTM,JPERS,JSPAVA)
0152           399 CALL REPLAC  (K,KSAVE,JEQAVA,JTRYTM,JPERS,JSPAVA)
0153           400 CONTINUE
               C  COULD NOT FIT J IN AND THEN K FOR ANY K IN THIS PERIOD.
               C  TRY NEXT TIME FOR J
0154           300 CONTINUE
               C  CAN NOT FIT J IN AND THEN K. WE TRIED ALL ACCEPTABLE TIMES FOR J
               C  TRY NEXT CONFIG FOR J
0155            99 CONTINUE
               C  GO TO NEXT JOB
0156           100 CONTINUE
0157               WRITE (6,9993)
0158          9993 FORMAT ('1JOBS SCHEDULED IN EACH PERIOD'//' TIME        JOBS')
0159               WRITE (6,9994)(I,(JB4TM(I,J),J=1,20),I=1,42)
0160          9994 FORMAT (2I13)
0161               WRITE(6,8880)
0162          8880 FORMAT('1',20X,'SCHEDULE SUMMARY BY JOB')
               C  NNOTIN IS THE NBR OF JOBS NOT IN SCHED
0163               NNOTIN=0
0164               DO 8881 J=1,JMAX
0165               WRITE(6,8882) J
0166               IF (ITM4JB(J,1).NE.0) GO TO 7778
0167               NNOTIN=NNOTIN+1
0168               JNEXT(NNOTIN)=J
0169          8882 FORMAT(/////' JOB NUMBER',I4)
0170               WRITE (6,7777)
0171          7777 FORMAT (11X,'NOT SCHEDULED  **********')
0172          7778 CONTINUE
0173               WRITE (6,8883) JBINFO(J,2),ITM4JB(J,1),ITM4JB(J,2),NCFG(J)
0174          8883 FORMAT(11X,'JOB NAME= ',A4/11X,'START TIME=',I4/11X,
                  1'NBR OF PERS=',I3/11X,'CONFIG NBR=',I3)
0175               DO 8884 N=1,NSP
0176          8884 JSAVE(N)=0
0177               DO 8885 N=1,49
0178               IF(ISP4JB(J,N).EQ.0) GO TO 8885
0179               JSAVE(ISP4JB(J,N))=1
0180          8885 CONTINUE
0181               WRITE (6,8886)
0182          8886 FORMAT (' SPECIFIC EQUIPMENT ASSIGNED')
0183               WRITE (6,8887)
0184          8887 FORMAT ('0 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B
                  1 C&S2 MTU       C&S1 MTU C&S2 TTY      C&S1 TTY')
0185               WRITE(6,8888)
0186          8888 FORMAT('  A B C D E S N   M L K H P C R   1 7 8 9   2 3 4 5 6 10
                 1A B C C J K   1 2 5 6   A C D E H P   1 2 3 4 5 6 7 8 ')
0187               WRITE (6,8889)(JSAVE(N),N=1,NSP)
0188          8889 FORMAT (' ',712,2X,712,2X,412,2X,612,2X,612,2X,412,1X,612,1X,912)
0189               WRITE (6,8890)
0190          8890 FORMAT(/' OTHER EQUIPMENT')
0191               WRITE (6,8891)(IEQ4JB(J,N),N=1,39,2)
0192          8891 FORMAT ('0 TYPE',2015)
0193               WRITE (6,8892)(IEQ4JB(J,N),N=2,40,2)
0194          8892 FORMAT('  NMBR',2015)
0195          8881 CONTINUE
0196               IF (NNOTIN.EQ.0) GO TO 6667
0197               WRITE (6,6666) (JNEXT(J),J=1,NNOTIN)
0198          6666 FORMAT (////' **** JOBS NOT SCHEDULED ****',3013)
0199          6667 CONTINUE
0200               WRITE (6,6670)
0201          6670 FORMAT (/////' EQUIPMENT AVAILABLE FOR EACH TIME PERIOD')
0202               WRITE (6,1013)(J,J=1,NTYPE)
0203               DO 6668 I=1,42
0204               CALL ECAVAL (I,1,JEQAVA,JSPAVA)
0205               WRITE (6,1024) I,(JEQAVA(K,1),K=1,NTYPE)
0206          1024 FORMAT(' TIME',512,13,5312,13,12)
0207          6668 CONTINUE
0208               END
```

```
FORTRAN IV G LEVEL  21                  MAIN                DATE = 78004          16/09/03                PAGE 0001

            C
            C   SUBROUTINE GETEQ(JCNFG,JEQREQ) GETS THE EQUIP SUMMARYFOR CONFIG JCNFG FROM TH
            C   E CONFIG FILE AND PUTS IT IN THE ARRAY JEQREQ
 0001               SUBROUTINE GETEQ (JCNFG,JEQREQ)
 0002               DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(60)
 0003               DIMENSION IEQ4CG(60,40),ISP4JB(200,49)
 0004               DIMENSION JEQREQ(40)
 0005               COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEQ4CG
 0006               COMMON NTYPS,NSP,ISP4JB
 0007               DO 21 I=1,39,2
 0008               JEQREQ(I)=IEQ4CG(JCNFG,I)
 0009               JEQREQ(I+1)=IEQ4CG(JCNFG,I+1)
 0010            21 CONTINUE
 0011               RETURN
 0012               END
```

```
FORTRAN IV G LEVEL  21                  MAIN                DATE = 78004          16/09/03                PAGE 0001

            C
            C   SUBROUTINE PERIOD (JSTART,JHOURS,JPERS) ASSUMES TIMES ARE
            C   NUMBERED 12..6  ON MON 789.. ON TUESDAY ETC. PERIODS GO FROM
            C   0000 TO 0400 TO 0700 TO1200 TO 1600 TO 2000 TO 0000
            C   THIS ROUTINE WILL DETERMINE THE TOTAL NUMBER OF PERIODS FOR A
            C   JOB WHOSE START TIME AND DURATION ARE GIVENIN THE FIRST TWO LOCATIONS
            C   ASSUME DURATION NOT EQUAL 0, OTHERWISE JPERS = 1
 0001               SUBROUTINE PERIOD(JSTART,JHOURS,JPERS)
 0002               J1=JSTART
 0003               J2=JHOURS
 0004               JPERS=0
 0005            107 INTGER=J1-(J1/6)*6
            C   WE GET AN INTEGER 1,2,3,4,5,0
 0006               JPERS=JPERS+1
 0007               GO TO (101,102,103), INTGER
            C   OUTSIDE RANGE WE CONTINUE
 0008            101 J2=J2-4
 0009               GO TO 105
 0010            102 J2=J2-3
 0011               GO TO 105
 0012            103 J2=J2-5
 0013            105 IF (J2.LE.0) GO TO 106
 0014               J1=J1+1
```

```
      C
      C  SUBROUTINE EQAVAL                          COMPUTES THE AVAILABLE EQUIP
      C  FOR JPERS TIME PERIODS STARTING AT JTIM AND LEAVES THE RESULTS IN JEQAVA
      C  AND JSPAVA.
      C  NOTE JPERS MUST BE .LE.4 OR ROUTINE SETS IT TO 4
      C
0001          SUBROUTINE EQAVAL(JTIM,JPERS,JEQAVA,JSPAVA)
0002          DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(60)
0003          DIMENSION IEQ4CG(60,40),ISP4JB(200,49)
0004          DIMENSION JEQAVA(60,4),JSPAVA(60,4)
0005          COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEQ4CG
0006          COMMON NTYPE,NSP,ISP4JB
      C  INITIALIZE JEQAVA TO TOTAL EQUIP AVAILABLE WITH NO JOBS SCHEDULED
0007          IF (JPERS.GT.4) JPERS=4
0008          DO 100 I=1,NTYPE
0009          N=NEQUIP(I)
0010          DO 100 J=1,JPERS
0011        100 JEQAVA(I,J)=N
      C  INITIALIZE JSPAVA, NSP IS THE NUMBER OF SPECIFIC TYPES TO CONSIDER
0012          DO 200 I=1,NSP
0013          DO 250 J=1,JPERS
      C  JSPAVA=1 MEANS AVAILABLE
0014          JSPAVA(I,J)=1
0015        250 CONTINUE
0016        200 CONTINUE
      C  LOOP OVER TIME PERIODS INVOLVED WITH THIS REQUEST
0017          DO 500 ITIM=1,JPERS
0018          JT=JTIM+ITIM-1
      C  FOR EACH TIME PERIOD LOOP OVER ALL JOBS SCHEDULED IN THAT PERIOD
0019          DO 400 L=1,20
0020          JBID=JB4TM(JT,L)
0021          IF (JBID.EQ.0) GO TO 400
      C  FOR EACH JOB ID LOOP OVER ALL PIECES OF EQUIP ASSIGNED TO THAT JOB
0022          DO 300 M=1,39,2
0023          IDEQ=IEQ4JB(JBID,M)
0024          IF (IDEQ.EQ.0) GO TO 300
      C  DECREMENT AVAILABILITY LIST
0025          JEQAVA(IDEQ,ITIM)=JEQAVA(IDEQ,ITIM)-IEQ4JB(JBID,M+1)
0026          IF (JEQAVA(IDEQ,ITIM).LT.0) GO TO 600
0027        300 CONTINUE
0028          DO 350 MM=1,49
0029          IDSP=ISP4JB(JBID,MM)
0030          IF(IDSP.EQ.0) GO TO 350
      C  DECREMENT SPECIFIC EQUIP AVAILABLE LIST
      C  JSPAVA=1 MEANS AVAILABLE
0031          JSPAVA(IDSP,ITIM)=0
0032        350 CONTINUE
0033        400 CONTINUE
0034        500 CONTINUE
0035          RETURN
0036        600 WRITE (6,607) IDEQ,JT
0037        607 FORMAT(' SUBROUTINE EQAVAL FINDS NEGATIVE AVAILABILITY FOR
           1EQUIPMENT TYPE'
           1,I5,' IN TIME PERIOD',I5,'EXECUTION TERMINATING')
0038          STOP
0039          END
```

```
C
C  SUBROUTINE INSERT(JOB,JTIM,JPERS,JEQAVA,JEQREQ,JCK,JSPAVA)
C  TRIES TO INSERT JOB INTO THE SCHEDULE STARTING AT TIME JTIM
C  AND GOING ON FOR JPERS TIME PERIODS. IF JEQAVA AND JSPAVA INDICATE ENOUGH
C  EQUIPMENT, THEN JOB IS SCHEDULED OTHERWISE ROUTINE RETURNS WITHOUT
C  AFFECTING THE SCHEDULE
C  JOK=0 IF FAILED    JOK=1 IF SCHEDULED
C
C  NOTE JTIM CORRESPONDS TO FIRST COLUMN OF JEQAVA
C  JPERS.LE.4 OR ROUTINE SETS IT TO 4
C
0001            SUBROUTINE INSERT (JOB,JTIM,JPERS,JEQAVA,JEQREQ,JCK,JSPAVA)
0002            DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(60)
0003            DIMENSION IEQ4CG(60,40),ISP4JB(200,4)
0004            DIMENSION JEQAVA(60,4),JEQREQ(40),JSPAVA(60,4)
0005            COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEQ4CG
0006            COMMON NTYPE,NSE,ISP4JB
0007            IF (JPERS.GT.4)JPERS=4
0008            JCK=1
C  CHECK CAN THIS JOB FIT IN THE SCHEDULE
C  LOOP ON EQUIPMENT REQUESTED FOR THIS JOB
0009            DO 200 M=1,39,2
0010            IDEQ=JEQREQ(M)
0011            IF (IDEQ.EQ.0) GO TO 200
C  LOOP ON TIME PERIODS FOR THIS REQUEST
0012            DO 100 ITIM=1,JPERS
0013          100 IF (JEQREQ(M+1).GT.JEQAVA(IDEQ,ITIM)) JOK=0
0014          200 CONTINUE
C  IF JCK STILL 1 THEN JOB CAN BE SCHEDULED ELSE QUIT
0015            IF (JCK.EQ.0) GO TO 601
0016            CALL SPECIF(JOB,JPERS,JEQAVA,JEQREQ,JCK,JSPAVA)
0017            IF (JCK.EQ.0) GO TO 601
C  FIRST SCHEDULE TIMES
0018            ITM4JB (JOB,1)=JTIM
0019            ITM4JB (JOB,2)=JPERS
0020            DO 400 ITIM=1,JPERS
0021            JT=JTIM+ITIM-1
0022            DO 300 L=1,20
0023            IF (JB4TM(JT,L).NE.0) GO TO 300
0024            JB4TM(JT,L)=JOB
0025            GO TO 400
0026          300 CONTINUE
0027            WRITE (6,307) JT,JOB
0028          307 FORMAT (' MORE THAN 20 JOBS IN JB4TM ARRAY AT TIME',I5,' UNABLE
                 1INSERT',I5)
0029            STOP
0030          400 CONTINUE
C  NEXT SCHEDULE EQUIP
0031            DO 600 M=1,39,2
C  FILL IEQ4JB ARRAY
0032            IEQ4JB(JOB,M)=JEQREQ(M)
0033            IEQ4JB(JOB,M+1)=JEQREQ(M+1)
C  DECREMENT EQUIP AVAILABLE LIST
0034            IDEQ=JEQREQ(M)
0035            IF (IDEQ.EQ.0) GO TO 600
0036            DO 500 ITIM=1,JPERS
0037            JEQAVA (IDEQ,ITIM)=JEQAVA(IDEQ,ITIM)-JEQREQ(M+1)
0038          500 CONTINUE
0039          600 CONTINUE
```

100

```
                C
                C   SUBROUTINE SPECIF CHECKS AVAILABILITY OF THE REQUIRED SPECIFIC EQUIPMENT
                C   AND ASSIGNS THEM IF AVAILABLE.  IF NOT, JOK=0
0001                SUBROUTINE SPECIF(JOB,JPERS,JEQAVA,JEQREQ,JOK,JSPAVA)
0002                DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(50)
0003                DIMENSION IEQ4CG(60,40),ISP4JB(200,45)
0004                DIMENSION JEQAVA(60,4),JEQREQ(40),JSPAVA(50,4)
0005                DIMENSION LOCK(17),ISPEC(775)
0006                DIMENSION ISPTTY(24,8),ISPMTU(24,8)
0007                DIMENSION NCPU(2)
0008                COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEQ4CG
0009                COMMON NTYPE,NSP,ISP4JB
0010                COMMON/HELLO/LOCK,ISPEC
0011                COMMON/HOWDY/ISPTTY,ISPMTU
0012                NCOMPS=0
0013                NTTY=0
0014                NMTU=0
0015                NTTYAV=0
0016                NMTUAV=0
0017                NCPU(1)=0
0018                NCPU(2)=0
0019                DO 700 N=1,4
0020                DO 50 M=1,39,2
0021                IF(JEQREQ(M).EQ.N) GO TO 51
0022            50  CONTINUE
0023                GO TO 700
0024            51  CONTINUE
                C   WE NEED JEQREQ(M+1) COMPUTERS OF TYPE N
0025                NCOMPS=NCOMPS+1
0026                NCPUS=JEQREQ(M+1)
0027                IF (NCPUS.LE.4) GO TO 52
0028                LAD=(N-1)*4+1
0029                NADGO=LOCK(LAD)
0030                NGROUP=1
0031                GO TO 50
0032            52  CONTINUE
                C   LOOK UP THE ADDRESS OF SINGLES, PAIRS ETC FOR THIS REQUEST
0033                LAD=(N-1)*4+NCPUS
0034                NADGO=LOCK(LAD)
0035                NADEND=LOCK(LAD+1)
0036                NGROUP=(NADEND-NADGO)/NCPUS
0037            50  CONTINUE
0038                DO 60 I=1,NGROUP
0039                IIAD=NADGO+(I-1)*NCPUS
0040                DO 61 J=1,NCPUS
0041                IAD=IIAD+J
0042                IWANT=ISPEC(IAD)
                C   IWANT IS THE ID FOR A CPU IN THE GROUP CURRENTLY BEING EXAMINED
                C   IS IWANT AVAILABLE FOR THE PERIODS NEEDED?
                C
0043                DO 62 K=1,JPERS
0044                IF(JSPAVA(IWANT,K).EQ.0) GO TO 60
                C   IWANT IS AVAILABLE
0045            62  CONTINUE
0046            61  CONTINUE
                C   ALL THE CPUS IN THE GROUP BEING CONSIDERED ARE AVAILABLE FOR JPERS PERIODS
                C   ASSIGN THEM
                C
0047                DO 71 J=1,NCPUS
0048                IAD=IIAD+J
0049                IWANT=ISPEC(IAD)
0050                NCPU((N+1)/2)=IWANT
0051                DO 81 L=1,49
0052                IF (ISP4JB(JOB,L).NE.0) GO TO 81
0053                ISP4JB(JOB,L)=IWANT
0054                DO 72 ITIM=1,JPERS
0055            72  JSPAVA(IWANT,ITIM)=0
0056                GO TO 71
0057            81  CONTINUE
0058            71  CONTINUE
0059                GO TO 700
0060            60  CONTINUE
                C   SPECIFIC EQUIPMENT NOT AVAILABLE
```

```
0061                JCK=0
0062                GO TO 1790
0063              700 CONTINUE
                  C  WORK ON TTY
0064                DO 150 M=1,39,2
0065                IF (JEQREQ(M).EQ.55) GO TO 151
0066              150 CONTINUE
                  C  NO TTY REQUIRED
0067                GO TO 889
0068              151 NTTY =JEQREQ(M+1)
0069                IF (NCOMPS.NE.0) GO TO 798
0070                NCPU(1)=1
0071                NCPU(2)=15
0072              798 DO 800 I=1,2
0073                IDCPU=NCPU(I)
0074                IF (IDCPU.EQ.0) GO TO 800
0075              799 DO 801 J=1,8
0076                IDTTY=ISPTTY(IDCPU,J)
0077                DO 802 ITIM=1,JPERS
0078                IF(JSPAVA(IDTTY,ITIM).EQ.0) GO TO 801
0079              802 CONTINUE
0080                NTTYAV=NTTYAV+1
0081                DO 881 L=1,49
0082                IF (ISP4JB(JCB,L).NE.0) GO TO 881
0083                ISP4JB(JCB,L)=IDTTY
0084                DO 888 ITIM =1,JPERS
0085              888 JSPAVA(IDTTY,ITIM)=0
0086                GO TO 882
0087              881 CONTINUE
0088              882 IF(NTTYAV.EQ.NTTY) GO TO 889
0089              801 CONTINUE
0090              800 CONTINUE
0091                JCK=0
0092                GO TO 1790
0093              889 CONTINUE
                  C  WORK ON MTU
0094                DO 1150 M=1,39,2
0095                IF(JEQREQ(M).EQ.5)  GO TO 1151
0096             1150 CONTINUE
                  C  NO MTU REQUIRED
0097                GO TO 701
0098             1151 NMTU=JEQREQ(M+1)
0099                IF (NCOMPS.NE.0) GO TO 1798
0100                NCPU(1)=1
0101                NCPU(2)=15
0102             1798 DO 1800 I=1,2
0103                IDCPU=NCPU(I)
0104                IF (IDCPU.EQ.0) GO TO 1800
0105             1799 DO 1801 J=1,8
0106                IDMTU=ISPMTU(IDCPU,J)
0107                DO 1802 ITIM=1,JPERS
0108                IF (JSPAVA(IDMTU,ITIM).EQ.0) GO TO 1801
0109             1802 CONTINUE
0110                NMTUAV=NMTUAV+1
0111                DO 1881 L=1,49
0112                IF(ISP4JB(JCB,L).NE.0) GO TO 1881
0113                ISP4JB(JCB,L)=IDMTU
0114                DO 1888 ITIM=1,JPERS
0115             1888 JSPAVA(IDMTU,ITIM)=0
0116                GO TO 1882
0117             1881 CONTINUE
0118             1882 IF(NMTUAV.EQ.NMTU) GO TO 701
0119             1801 CONTINUE
0120             1800 CONTINUE
0121                JCK=0
                  C
                  C
                  C  JCK=C
                  C  FIX JSPAVA, ZERO ARRAY ISP4JB
0122             1790 IF(NCOMPS.EQ.0) GO TO 890
```

```
0126          791 CONTINUE
0127          890 IF(NTTYAV.EQ.0) GO TO 1890
0128              N1=NCOMPS+1
0129              N2=NCOMPS+NTTYAV
0130              DO 891 I=N1,N2
0131              DO 892 ITIM=1,JPERS
0132          892 JSPAVA(ISP4JB(JCB,I),ITIM)=1
0133          891 CONTINUE
0134         1890 IF(NMTUAV.EQ.0) GO TO 2390
0135              N3=NCOMPS+NTTYAV+1
0136              N4=NCOMPS+NTTYAV+NMTUAV
0137              DO 1891 I=N3,N4
0138              DO 1892 ITIM=1,JPERS
0139         1892 JSPAVA(ISP4JB(JCB,I),ITIM)=1
0140         1891 CONTINUE
0141         2890 DO 2891 L=1,49
0142         2891 ISP4JB(JCB,L)=0
0143          701 RETURN
0144              END
```

```
                C
                C  SUBROUTINE REMOVE REMOVES A JOB FROM THE SCHEDULE
                C  A)  IF JOB IS NOT ON THE SCHEDULE, REMOVE RETURNS WITH NO ACTION
                C  B)  IF JOB IS ON THE SCHEDULE, THEN
                C        1) REMOVE IT FROM THE SCHEDULE
                C        2) INCREMENT AVAILABLE EQUIPMENT ARRAY JEQAVA AT TIME JTIM
                C          FOR JPERS PERIODS IF JOB OVERLAPS THESE TIMES
                C        3) SAVE TIME AND EQUIP ASSIGNMENTS IN JSAVE FOR POSSIBLE REPLACEMENT
                C  NOTE  TIME JTIM IS ASSUMED TO CORRESPOND TO THE FIRST COL OF JEQAVA
                C
                C  NOTE JPERS MUST BE .LE.4 OR ROUTINE WILL SET IT TO 4
0001                SUBROUTINE REMOVE (JOB,JSAVE,JEQAVA,JTIM,JPERS,JSPAVA)
0002                DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(60)
0003                DIMENSION IEQ4CG(60,40),ISP4JB(200,48)
0004                DIMENSION JSAVE(91),JEQAVA(60,4),JSPAVA(60,4)
0005                COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEC4CG
0006                COMMON NTYPE,NSP,ISP4JB
                C  FIND JOB ON CURRENT SCHEDULE STARTING AT JOBTM AND RUNNING FOR JOBPER PERIODS
0007                JOBTIM=ITM4JB (JOB,1)
0008                IF (JOBTIM.EQ.0) RETURN
0009                JOBPER=ITM4JB(JOB,2)
                C  SAVE TIME ASSIGNMENTS
0010                JSAVE(1)=JOBTIM
0011                JSAVE(2)=JOBPER
                C  COMPUTE OVERLAP TIME BETWEEN THIS JOB AND EQAVA LIST AS THE TIME INTERVAL
                C  J1 TO J2
0012                ISWTCH=0
0013                J1=MAXO (JTIM,JOBTIM)
0014                K1=JOBTIM+JOBPER-1
0015                K2=JTIM+JPERS-1
0016                J2=MINO (K1,K2)
                C  IF J1.GT.J2, THEN NO OVERLAP. SET SWTCH TO 1
0017                IF (J1.LE.J2) GO TO 110
0018                ISWTCH=1
0019                GO TO 120
                C  COMPUTE COLUMN INDICES I1 TO I2 IN JEQAVA ARRAY
0020              110 I1=J1-JTIM+1
0021                I2=J2-JTIM+1
                C  LOOP OVER EQUIPMENT ID'S IN ASSIGNED EQUIP LIST FOR JOB (MAX OF 20 TYPES)
0022              120 DO 150 M=1,39,2
                C  SAVE EQUIP ASSIGNMENT
0023                JSAVE(M+2)=IEQ4JB(JOB,M)
0024                JSAVE(M+3)=IEQ4JB(JOB,M+1)
                C  INCREMENT EQUIPMENT AVAILABILITY IF THIS JOB OVERLAPS JEQAVA ARRAY
0025                IF (ISWTCH.EQ.1) GO TO 145
0026                ICEQ=IEQ4JB(JOB,M)
0027                IF (ICEQ.EQ.0) GO TO 145
0028                DO 140 I=I1,I2
0029              140 JEQAVA (ICEQ,I)=JEQAVA (ICEQ,I)+IEQ4JB(JOB,M+1)
                C  REMOVE EQUIPMENT FROM SCHEDULE
0030              145 IEQ4JB(JOB,M)=0
0031                IEQ4JB(JOB,M+1)=0
0032              150 CONTINUE
0033                DO 250 M=1,48
0034                JSAVE(42+M)=ISP4JB(JOB,M)
                C  INCREMENT AVAILABILITY IF JOB OVERLAPS JSPAVA
0035                IF(ISWTCH.EQ.1) GO TO 245
0036                IDSP=ISP4JB(JOB,M)
0037                IF(IDSP.EQ.0) GO TO 245
0038                DO 240 I=I1,I2
0039              240 JSPAVA(IDSP,I)=1
                C  REMOVE SPEC EQUIP FROM SCHED
0040              245 ISP4JB(JOB,M)=0
0041              250 CONTINUE
                C  REMOVE TIME ASSIGNMENTS FROM THE SCHEDULE
0042                ITM4JB(JOB,1)=0
0043                ITM4JB(JOB,2)=0
0044                DO 200 ITIM=1,JOBPER
0045                JT=JOBTIM+ITIM-1
0046                DO 200 L=1,20
0047              200 IF (JB4TM(JT,L).EQ.JOB) JB4TM(JT,L)=0
0048                RETURN
```

```
C  TEAT NOTHING HAS CHANGED SINCE A PREVIOUS REMOVE
0001        SUBROUTINE REPLAC  (JCB,JSAVE,JECAVA,JTIM,JPERS,JSPAVA)
0002        DIMENSION IEQ4JB(200,40),ITM4JB(200,2),JB4TM(42,20),NEQUIP(60)
0003        DIMENSION IEC4CG(60,40),ISP4JB(200,49)
0004        DIMENSION JSAVE(91),JECAVA(60,4),JSPAVA(60,4)
0005        COMMON IEQ4JB,ITM4JB,JB4TM,NEQUIP, IEC4CG
0006        COMMON NTYPE,NSP,ISP4JB
C  GET START TIME AND NUMBER OF PERIODS
0007        JOBTIM=JSAVE(1)
0008        JOBPER=JSAVE(2)
C  SCHEDULE JOB INTO TIME ARRAYS
0009        ITM4JB(JCB,1)=JOBTIM
0010        ITM4JB(JCB,2)=JOBPER
0011        DO 120 ITIM=1,JOBPER
0012        JT=JOBTIM+ITIM-1
0013        DO 100 L=1,20
0014        IF (JB4TM(JT,L).NE.0) GO TO 100
0015        JB4TM(JT,L)=JOB
0016        GO TO 120
0017      100 CONTINUE
0018        WRITE (6,107) JT,JOB
0019      107 FORMAT (' MORE THAN 20 JOBS IN JB4TM ARRAY AT TIME',I5,' UNABLE
           1TO REPLACE JOB',I5)
0020        STOP
0021      120 CONTINUE
C  NEXT SCHEDULE EQUIP
C  FIRST COMPUTE OVERLAP BETWEEN JOB AND JECAVA ARRAY
0022        ISWTCH=0
0023        J1=MAXO(JTIM,JOBTIM)
0024        K1=JOBTIM+JOBPER-1
0025        K2=JTIM+JPERS-1
0026        J2=MINO(K1,K2)
C  IF J1.GT.J2 THEN NO OVERLAP SO SET SWTCH=1
0027        IF (J1.LE.J2) GO TO 210
0028        ISWTCH=1
0029        GO TO 220
C  COMPUTE COLUMN INDICES I1 AND I2 IN JECAVA ARRAY
0030      210 I1=J1-JTIM+1
0031        I2=J2-JTIM+1
C  LOOP OVER EQUIPMENT ID'S IN SAVED LIST
0032      220 DO 250 M=1,39,2
C  FILL IEC4JB ARRAY
0033        IEC4JB(JCB,M)=JSAVE(M+2)
0034        IEQ4JB(JCB,M+1)=JSAVE(M+3)
C
C  DECREMENT EQUIP AVAILABILITY IF THIS JOB OVERLAPS JECAVA ARRAY
0035        IF (ISWTCH.EQ.1) GO TO 245
0036        IDEQ=JSAVE(M+2)
0037        IF (IDEQ.EQ.0) GO TO 245
0038        DO 240 I =I1,I2
0039        JECAVA(IDEQ,I)=JECAVA(IDEQ,I)-JSAVE(M+3)
0040        IF (JECAVA(IDEQ,I).LT.0) GO TO 300
0041      240 CONTINUE
0042      245 CONTINUE
0043      250 CONTINUE
C
0044        DO 350 M=1,49
0045        ISP4JB(JCB,M)=JSAVE(42+M)
C  DECREMENT AVAILABILITY IF JCB OVERLAPS JSPAVA
0046        IF (ISWTCH.EQ.1) GO TO 345
0047        IDSP=JSAVE(42+M)
0048        IF (IDSP.EQ.0) GO TO 345
0049        DO 340 I=I1,I2
0050        JSPAVA(IDSP,I)=0
0051      340 CONTINUE
0052      345 CONTINUE
0053      350 CONTINUE
0054        RETURN
0055      300 WRITE (6,307) IDEQ,JCB
0056      307 FORMAT (' EQUIPMENT TYPE',I5,'NOT ADEQUATE TO MEET REQUIREMENT
           1FOR JOB',I5
           1,' UNABLE TO COMPLETE SUBROUTINE REPLAC ')
0057        STOP
0058        END
```

```
C
0001          BLOCK DATA
0002          DIMENSION LOCK(17),ISPEC1(448),ISPEC2(328)
0003          DIMENSION ISPTIY(24,8),ISPMTU(24,6)
0004          COMMON/HELLO/LOCK,ISPEC1,ISPEC2
0005          COMMON/HOWDY/ISPTIY,ISPMTU
0006          DATA LOCK /0,7,49,154,294,301,343,448,588,592,604,616,
             -   620,626,656,716,776 /
0007          DATA ISPEC1/1,2,3,7,6,5,4, 8,7, 5,6, 4,5, 2,3, 3,4, 2,4, 1,2, 5,7,
             A 4,6, 3,5, 4,7, 1,3, 3,8, 2,5, 1,4, 3,7, 2,6, 1,5, 2,7, 1,6, 1,7,
             B 5,6,7, 4,5,6, 2,4,5, 2,3,4, 4,6,7, 4,5,7, 1,2,3, 2,4,5, 3,4,6,
             C3,4,7, 3,5,6, 3,6,7, 3,5,7, 2,3,5, 2,3,6, 2,4,6, 2,5,6, 2,3,7,
             D 2,4,7, 2,5,7, 2,6,7, 1,3,4, 1,3,4, 1,2,5, 1,4,5, 1,3,5, 1,2,6,
             E 1,5,6, 1,3,6, 1,4,6, 1,2,7, 1,6,7, 1,3,7, 1,5,7, 1,4,7,
             F 4,5,6,7, 3,4,5,6, 2,3,4,5, 2,4,5,6, 1,2,3,4, 3,5,6,7, 2,5,6,7,
             G 3,4,6,7, 2,4,6,7, 3,4,5,7, 2,4,5,7, 2,3,4,6, 2,5,6,7, 2,3,4,7,
             H 2,3,6,7, 2,3,5,7, 1,2,3,5, 1,3,4,5, 1,2,4,5, 1,2,3,6, 1,4,5,6,
             I 1,2,5,6, 1,2,4,6, 1,3,5,6, 1,3,4,6, 1,2,3,7, 1,5,6,7, 1,2,6,7,
             J 1,2,5,7, 1,3,6,7, 1,2,4,7, 1,4,6,7, 1,3,4,7, 1,4,5,7, 1,3,5,7,
             K 14,13,12,11,10,9,8, 8,9, 9,10, 10,11, 11,12, 12,13, 13,14,
             L 8,10, 9,11, 10,12, 11,13, 12,14, 8,11, 9,12, 10,13, 11,14,
             M 8,12, 9,13, 10,14, 8,13, 9,14, 8,14, 8,9,10, 12,13,14, 11,12,13,
             N 10,11,12, 9,10,11, 11,13,14, 11,12,14, 9,11,12, 8,9,11,
             O 8,11,12, 9,10,12, 8,9,12, 8,10,11, 8,10,12, 10,12,13, 9,12,13,
             P 8,12,13, 10,11,13, 9,11,13, 8,11,13, 10,13,14, 9,13,14, 8,13,14,
             Q 10,12,14, 9,12,14, 8,12,14, 10,11,14, 9,11,14, 8,11,14, 9,10,13,
             R 9,10,14, 8,9,13, 8,9,14, 8,10,13, 8,10,14 /
0008          DATA ISPEC2/11,12,13,14, 10,11,12,13, 8,9,10,11, 9,10,11,12,
             1 10,12,13,14, 10,11,12,14, 10,11,13,14, 8,9,10,12, 8,10,11,12,
             2 8,9,11,12, 9,11,12,13, 9,10,11,13, 9,10,12,13, 9,10,11,14,
             3 9,12,13,14, 9,10,13,14, 9,10,12,14, 9,11,13,14, 9,11,12,14,
             4 8,9,10,13,8,11,12,13, 8,9,12,13, 8,9,11,13, 8,10,12,13,
             5 8,10,11,13, 8,9,10,14, 8,12,13,14, 8,9,13,14, 8,9,12,14,
             6 8,9,11,14, 8,11,13,14, 8,10,13,14, 8,10,11,14, 8,10,12,14,
             7 8,11,12,14, 15,18,16,17, 16,17, 16,18, 17,18, 15,16, 15,17,
             8 15,19, 16,17,18, 15,16,17, 15,16,18, 15,17,18, 15,16,17,18,
             9 24,22,23,21,20,19, 19,20, 22,24, 22,23, 23,24, 20,21, 19,21,
             1 21,23, 21,22, 21,24, 20,23, 19,23, 20,22, 19,22, 20,24, 19,24,
             2 22,23,24, 19,20,21, 21,22,23, 20,21,23, 19,20,23, 21,23,24,
             3 21,22,24, 19,21,23, 20,21,22, 19,21,22, 19,20,22, 20,22,23,
             4 20,21,24, 19,21,24, 19,20,24, 20,22,24, 20,23,24, 19,22,23,
             5 19,22,24, 19,23,24, 21,22,23,24, 19,20,21,23, 19,20,21,22,
             6 19,20,21,24, 20,22,23,24,
             -                19,22,23,24, 20,21,22,23, 19,21,22,23, 19,20,22,23,
             7 20,21,22,24, 19,21,22,24, 19,20,22,24, 20,21,23,24, 19,21,23,24,
             8 19,20,23,24 /
0009          DATA ISPTIY /
             135,36,36,37,38,38,38,38,38,39,39,39,40,40,41,48,48,47,42,43,44,46,
             +46,46,
             236,37,37,36,37,37,37,37,39,40,40,40,39,39,42,47,47,48,41,44,43,45,
             +45,45,
             337,35,35,36,36,36,36,39,40,38,38,38,38,38,43,41,41,41,42,42,42,44,
             +44,44,
             438,38,38,35,35,39,39,40,37,37,37,37,35,35,44,42,42,42,44,41,41,43,
             +43,43,
             539,39,39,39,39,40,40,36,36,36,36,36,37,37,47,43,43,43,47,47,46,42,
             +42,42,
             640,40,40,40,40,35,35,35,35,35,35,35,36,36,48,44,44,44,48,48,45,41,
             +41,41,
             740,40,40,40,40,35,35,35,35,35,35,35,36,36,46,45,45,45,46,46,47,47,
             +47,47,
             840,40,40,40,40,35,35,35,35,35,35,35,36,36,45,46,46,46,45,45,48,48,
             +48,48/
001C          DATA ISPMTU/
             125,25,26,27,27,27,27,28,28,28,28,26,28,28,31,31,31,31,31,32,32,33,
             +33,33,
             226,26,25,26,26,28,28,29,29,29,29,29,29,29,32,32,32,32,32,31,31,34,
             +34,34,
             327,27,27,25,25,29,29,30,30,30,30,30,30,30,34,34,34,34,34,34,34,32,
             +32,32,
             428,28,28,28,28,30,30,27,27,27,27,27,27,27,33,33,33,33,33,33,33,31,
             +31,31,
             529,29,29,29,29,26,26,26,26,26,26,26,26,25,25,33,33,33,33,33,33,33,31,
```

NBRCFG= 38

CNFG= 1																			
EQ TYPE	1	2	4	5	11	12	14	33	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	3	2	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
CNFG= 2																			
EQ TYPE	1	4	5	11	14	33	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	2	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 3																			
EQ TYPE	1	2	3	4	5	6	7	9	18	0	0	0	0	0	0	0	0	0	0
NUMBER	7	7	4	6	10	2	4	1	1	0	0	0	0	0	0	0	0	0	0
CNFG= 4																			
EQ TYPE	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 5																			
EQ TYPE	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 6																			
EQ TYPE	1	5	9	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 7																			
EQ TYPE	1	2	3	5	9	11	12	30	31	32	55	0	0	0	0	0	0	0	0
NUMBER	3	3	3	3	1	1	1	1	1	1	3	0	0	0	0	0	0	0	0
CNFG= 8																			
EQ TYPE	4	5	26	27	28	47	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	3	5	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 9																			
EQ TYPE	3	5	19	29	37	43	44	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 10																			
EQ TYPE	4	51	5	10	16	29	37	39	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
CNFG= 11																			
EQ TYPE	2	5	32	33	44	51	23	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	4	2	1	1	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 12																			
EQ TYPE	2	5	14	27	44	51	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 13																			
EQ TYPE	3	5	13	20	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 14																			
EQ TYPE	3	5	10	51	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 15																			
EQ TYPE	4	5	7	18	19	24	26	29	51	0	0	0	0	0	0	0	0	0	0
NUMBER	3	2	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0

CNFG= 16																				
EQ TYPE	4	5	7	18	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 17																				
EQ TYPE	4	5	11	12	44	46	51	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 18																				
EQ TYPE	3	5	13	27	46	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 19																				
EQ TYPE	3	4	5	13	34	35	44	51	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	2	1	1	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 20																				
EQ TYPE	4	5	13	37	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 21																				
EQ TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
CNFG= 22																				
EQ TYPE	4	5	6	7	9	21	51	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 23																				
EQ TYPE	4	5	19	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	2	1	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 24																				
EQ TYPE	4	5	13	51	46	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 25																				
EQ TYPE	4	5	7	13	51	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 26																				
EQ TYPE	4	5	10	44	46	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 27																				
EQ TYPE	2	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 28																				
EQ TYPE	2	5	6	14	51	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 29																				
EQ TYPE	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 30																				
EQ TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CNFG= 31																				
EQ TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

```
CNFG= 32
  EQ TYPE    2    5   14   32   33   37   44   51   45    0    0    0    0    0    0    0    0    0    0    0
  NUMBER     4    1    1    1    1    1    1    2    3    0    0    0    0    0    0    0    0    0    0    0

CNFG= 33
  EQ TYPE    1    2    5   14   23   32   33   44   51   45    0    0    0    0    0    0    0    0    0    0
  NUMBER     3    4    2    1    1    1    1    1    2    3    0    0    0    0    0    0    0    0    0    0

CNFG= 34
  EQ TYPE    2    5   14   23   27   32   44   51   45    0    0    0    0    0    0    0    0    0    0    0
  NUMBER     4    2    1    1    5    1    1    1    3    0    0    0    0    0    0    0    0    0    0    0

CNFG= 35
  EQ TYPE    3    5   19   23   37   51   46    0    0    0    0    0    0    0    0    0    0    0    0    0
  NUMBER     3    1    1    1    1    1    4    0    0    0    0    0    0    0    0    0    0    0    0    0

CNFG= 36
  EQ TYPE    2    3    5   14   27   32   33   44   51   45    0    0    0    0    0    0    0    0    0    0
  NUMBER     4    3    2    1    5    1    1    1    2    3    0    0    0    0    0    0    0    0    0    0

CNFG= 37
  EQ TYPE    1    2    3    5    9   13   12   30   31   32   55    0    0    0    0    0    0    0    0    0
  NUMBER     3    3    3    3    1    1    1    1    1    1    3    0    0    0    0    0    0    0    0    0

CNFG= 38
  EQ TYPE    2   51    5   10   16   29   37   39    0    0    0    0    0    0    0    0    0    0    0    0
  NUMBER     2    2    1    1    1    1    1    1    0    0    0    0    0    0    0    0    0    0    0    0
```

109

```
NTYPE=56 NSP=48
NUMBER OF PIECES OF EQUIPMENT AVAILABLE
TYPE    1 2 3 4  5 6 7 8 9101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555 6
NMBR    7 7 4 6 10 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 6 1 1 5 5 2 7 1 1 1 1 1 1 1 2 1 1 1 1 1 1 4 7 9 5 3 1 1 5 1 6 114 1
```

```
JMAX= 91

 JSEQ=  1  JNAME=MAIN  JCNFG=  1  JHRS=  7  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  3
TIMES=  1

 JSEQ=  2  JNAME=MAIN  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  4
TIMES=  7

 JSEQ=  3  JNAME=MAIN  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  5
TIMES= 13

 JSEQ=  4  JNAME=MAIN  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  4
TIMES= 19

 JSEQ=  5  JNAME=MAIN  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  5
TIMES= 25

 JSEQ=  6  JNAME=NTDS  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  1
TIMES=  3

 JSEQ=  7  JNAME=NTDS  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  1
TIMES=  9
```

```
 JSEQ=  8  JNAME=NTDS  JCNFG=  1  JHRS=  5  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  1
TIMES= 15

 JSEQ=  9  JNAME=NTDS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  2
TIMES= 16

 JSEQ= 10  JNAME=NTDS  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  2
TIMES= 21

 JSEQ= 11  JNAME=NTDS  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  2
TIMES= 27

 JSEQ= 12  JNAME=TEAM  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  6
TIMES=  3

 JSEQ= 13  JNAME=TEAM  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  6
TIMES=  9

 JSEQ= 14  JNAME=TEAM  JCNFG=  1  JHRS=  5  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  6
TIMES= 15

 JSEQ= 15  JNAME=TEAM  JCNFG=  2  JHRS=  4  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  7 37
TIMES= 16

 JSEQ= 16  JNAME=TEAM  JCNFG=  2  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  7 37
TIMES= 21

 JSEQ= 17  JNAME=TEAM  JCNFG=  2  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  7 37
TIMES= 27

 JSEQ= 18  JNAME=TDEW  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  8
TIMES=  3

 JSEQ= 19  JNAME=TDEW  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  8
TIMES=  9

 JSEQ= 20  JNAME=TDEW  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  8
TIMES= 15

 JSEQ= 21  JNAME=TDEW  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  8
TIMES= 21

 JSEQ= 22  JNAME=TDEW  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  8
TIMES= 27

 JSEQ= 23  JNAME=CATC  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  9
TIMES=  3

 JSEQ= 24  JNAME=CATC  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  9
TIMES=  9

 JSEQ= 25  JNAME=CATC  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  9
TIMES= 15

 JSEQ= 26  JNAME=CATC  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  9
TIMES= 21

 JSEQ= 27  JNAME=CATC  JCNFG=  1  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG=  9
```

```
 JSEQ= 29  JNAME= AIC   JCNFG=  2  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG= 10 38
TIMES=  9

 JSEQ= 30  JNAME= AIC   JCNFG=  2  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG= 10 38
TIMES= 15

 JSEQ= 31  JNAME= AIC   JCNFG=  2  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG= 10 38
TIMES= 21

 JSEQ= 32  JNAME= AIC   JCNFG=  2  JHRS=  9  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG= 10 38
TIMES= 27

 JSEQ= 33  JNAME=JITF   JCNFG=  1  JHRS=  7  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 14 CONFIG= 11
TIMES=  7 13 19

 JSEQ= 34  JNAME=TIMK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 12
TIMES=  4  5  6

 JSEQ= 35  JNAME=TIMK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 12
TIMES= 16 17 18

 JSEQ= 36  JNAME=TIMK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 12
TIMES= 28 29 30

 JSEQ= 37  JNAME=NTST   JCNFG=  1  JHRS=  6  NBR TIMES ACCEPTABLE= 4  NBR REJECTED= 38 CONFIG= 32
TIMES= 11 12 17 18

 JSEQ= 38  JNAME=NTST   JCNFG=  1  JHRS=  7  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 33
TIMES= 19 20

 JSEQ= 39  JNAME=NTST   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 4  NBR REJECTED= 38 CONFIG= 34
TIMES= 23 24 29 30

 JSEQ= 40  JNAME=NTST   JCNFG=  1  JHRS=  7  NBR TIMES ACCEPTABLE= 1  NBR REJECTED= 41 CONFIG= 35
TIMES= 25

 JSEQ= 41  JNAME=NTST   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 36
TIMES= 33 34 35

 JSEQ= 42  JNAME=NEAL   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 8  NBR REJECTED= 34 CONFIG= 15
TIMES=  3  4  5  6  9 10 11 12

 JSEQ= 43  JNAME=NEAL   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 8  NBR REJECTED= 34 CONFIG= 16
TIMES= 21 22 23 24 27 28 29 30

 JSEQ= 44  JNAME=GHAY   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 8  NBR REJECTED= 34 CONFIG= 17
TIMES=  3  4  5  6  9 10 11 12

 JSEQ= 45  JNAME=GHAY   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 8  NBR REJECTED= 34 CONFIG= 17
TIMES= 21 22 23 24 27 28 29 30

 JSEQ= 46  JNAME=ANST   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 8  NBR REJECTED= 34 CONFIG= 18
TIMES=  3  4  5  6  9 10 11 12

 JSEQ= 47  JNAME=ANST   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 8  NBR REJECTED= 34 CONFIG= 18
TIMES= 21 22 23 24 27 28 29 30

 JSEQ= 48  JNAME=HEPL   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 19
TIMES=  5  6 11 12 17 18

 JSEQ= 49  JNAME=BURR   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 20
TIMES=  5  6
```

```
 JSEQ= 50  JNAME=BURR  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 4  NBR REJECTED= 38 CONFIG= 20
TIMES= 11 12 17 18

 JSEQ= 51  JNAME=BURR  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 4  NBR REJECTED= 38 CONFIG= 20
TIMES= 23 24 29 30

 JSEQ= 52  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 53  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 54  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 55  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 56  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 57  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 58  JNAME=ASIS  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=10  NBR REJECTED= 32 CONFIG= 21
TIMES=  3  4  9 10 15 16 21 22 27 28

 JSEQ= 59  JNAME=LAMK  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 22
TIMES= 10 11 12 16 17 18

 JSEQ= 60  JNAME=LAMK  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 22
TIMES= 22 23 24 28 29 30

 JSEQ= 61  JNAME=STCK  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 9  NBR REJECTED= 33 CONFIG= 23
TIMES= 10 11 12 22 23 24 28 29 30

 JSEQ= 62  JNAME=ERSK  JCNFG=  1  JHRS=  3  NBR TIMES ACCEPTABLE=15  NBR REJECTED= 31 CONFIG= 24
TIMES=  4  5  6  8  9 14 15 20 21 26 27  7  1 30 19

 JSEQ= 63  JNAME=FALL  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 9  NBR REJECTED= 33 CONFIG= 25
TIMES= 10 11 12 16 17 18 22 23 24

 JSEQ= 64  JNAME=MAXW  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=12  NBR REJECTED= 30 CONFIG= 26
TIMES=  4  5  6 10 11 12 22 23 24 28 29 30

 JSEQ= 65  JNAME=CD72  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 9  NBR REJECTED= 33 CONFIG= 27
TIMES= 16 17 18 22 23 24 28 29 30

 JSEQ= 66  JNAME=SAIL  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 28
TIMES= 10 11 12 16 17 18

 JSEQ= 67  JNAME=SAIL  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 28
TIMES= 22 23 24 28 29 30

 JSEQ= 68  JNAME= BPC  JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES=  5  6
```

```
 JSEQ= 71  JNAME= BPC   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES= 23 24

 JSEQ= 72  JNAME= BPC   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES= 29 30

 JSEQ= 73  JNAME= BPC   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES= 33 34

 JSEQ= 74  JNAME= BPC   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES= 35 36

 JSEQ= 75  JNAME= BPC   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES= 39 40

 JSEQ= 76  JNAME= BPC   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 29
TIMES= 41 42

 JSEQ= 77  JNAME=HALL   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 30
TIMES=  1  2  3  4  5  6

 JSEQ= 78  JNAME=HALL   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 30
TIMES=  7  8  9 10 11 12

 JSEQ= 79  JNAME=HALL   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 30
TIMES= 13 14 15 16 17 18

 JSEQ= 80  JNAME=HALL   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 30
TIMES= 19 20 21 22 23 24

 JSEQ= 81  JNAME=HALL   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 6  NBR REJECTED= 36 CONFIG= 30
TIMES= 25 26 27 28 29 30

 JSEQ= 82  JNAME=MPDS   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 31
TIMES=  3  4

 JSEQ= 83  JNAME=MPDS   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 31
TIMES=  9 10

 JSEQ= 84  JNAME=MPDS   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 31
TIMES= 15 16

 JSEQ= 85  JNAME=MPDS   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 31
TIMES= 21 22

 JSEQ= 86  JNAME=MPDS   JCNFG=  1  JHRS=  8  NBR TIMES ACCEPTABLE= 2  NBR REJECTED= 40 CONFIG= 31
TIMES= 27 28

 JSEQ= 87  JNAME=BURK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 13
TIMES=  2  3  4

 JSEQ= 88  JNAME=BURK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 13
TIMES=  8  9 10

 JSEQ= 89  JNAME=BURK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 13
TIMES= 14 15 16

 JSEQ= 90  JNAME=BURK   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE= 3  NBR REJECTED= 39 CONFIG= 13
TIMES= 20 21 22

 JSEQ= 91  JNAME=NAOR   JCNFG=  1  JHRS=  4  NBR TIMES ACCEPTABLE=23  NBR REJECTED= 19 CONFIG= 14
TIMES=  4  5  6 10 11 12 16 17 18 22 23 24 28 29 30 33 34 35 36 39 40 41 42
```

```
SUMMARY OF SCHEDULING PROCESS

   WORKING ON JOB    1
        TRY IT IN    RESULT
              1          1
   WORKING ON JOB    2
        TRY IT IN    RESULT
              7          1
   WORKING ON JOB    3
        TRY IT IN    RESULT
             13          1
   WORKING ON JOB    4
        TRY IT IN    RESULT
             19          1
   WORKING ON JOB    5
        TRY IT IN    RESULT
             25          1
   WORKING ON JOB    6
        TRY IT IN    RESULT
              3          1
   WORKING ON JOB    7
        TRY IT IN    RESULT
              9          1
   WORKING ON JOB    8
        TRY IT IN    RESULT
             15          1
   WORKING ON JOB    9
        TRY IT IN    RESULT
             16          1
   WORKING ON JOB   10
        TRY IT IN    RESULT
             21          1
   WORKING ON JOB   11
        TRY IT IN    RESULT
             27          1
   WORKING ON JOB   12
        TRY IT IN    RESULT
              3          1
   WORKING ON JOB   13
        TRY IT IN    RESULT
              9          1
   WORKING ON JOB   14
        TRY IT IN    RESULT
             15          1
   WORKING ON JOB   15
        TRY IT IN    RESULT
             16          0
        NOW TRY IN   REMOVE JOB   15FIT?
             16

                          9          1
                                   TRY TO REPLACE   9
                                   IN PERIOD     RESULT
                                        16          0

   WORKING ON JOB   15
        TRY IT IN    RESULT
             16          1
   WORKING ON JOB   16
        TRY IT IN    RESULT
```

```
WORKING ON JOB  17
      TRY IT IN   RESULT
          21        1
WORKING ON JOB  17
      TRY IT IN   RESULT
          27        0
      NOW TRY IN  REMOVE JOB  17FIT?
          27
                    11        1
                                    TRY TO REPLACE 11
                                    IN PERIOD     RESULT
                                        27          0
WORKING ON JOB  17
      TRY IT IN   RESULT
          27        1
WORKING ON JOB  18
      TRY IT IN   RESULT
           3        1
WORKING ON JOB  19
      TRY IT IN   RESULT
           9        1
WORKING ON JOB  20
      TRY IT IN   RESULT
          15        1
WORKING ON JOB  21
      TRY IT IN   RESULT
          21        1
WORKING ON JOB  22
      TRY IT IN   RESULT
          27        1
WORKING ON JOB  23
      TRY IT IN   RESULT
           3        1
WORKING ON JOB  24
      TRY IT IN   RESULT
           9        1
WORKING ON JOB  25
      TRY IT IN   RESULT
          15        0
      NOW TRY IN  REMOVE JOB  25FIT?
          15
                    8         0
                   14         0
                   20         0
WORKING ON JOB  26
      TRY IT IN   RESULT
          21        0
      NOW TRY IN  REMOVE JOB  26FIT?
          21
                   10         0
                   16         1
                                    TRY TO REPLACE 16
                                    IN PERIOD     RESULT
                                        21          0
                                        21          0
                   21         0
WORKING ON JOB  27
      TRY IT IN   RESULT
          27        0
      NOW TRY IN  REMOVE JOB  27FIT?
          27
                   11         0
                   17         1
                                    TRY TO REPLACE 17
                                    IN PERIOD     RESULT
                                        27          0
                                        27          0
```

```
                    22          0
WORKING ON JOB  28
     TRY IT IN    RESULT
           3          0
     NOW TRY IN   REMOVE JOB  28FIT?
           3
                     6          1
                                      TRY TO REPLACE  6
                                      IN PERIOD     RESULT
                                            3          0
                    12          0
                    18          1
                                      TRY TO REPLACE 18
                                      IN PERIOD     RESULT
                                            3          0
                    23          0
WORKING ON JOB  28
     TRY IT IN    RESULT
           3          1
WORKING ON JOB  29
     TRY IT IN    RESULT
           9          0
     NOW TRY IN   REMOVE JOB  29FIT?
           9
                     7          1
                                      TRY TO REPLACE  7
                                      IN PERIOD     RESULT
                                            9          0
                    13          0
                    19          1
                                      TRY TO REPLACE 19
                                      IN PERIOD     RESULT
                                            9          0
                    24          0
WORKING ON JOB  29
     TRY IT IN    RESULT
           9          1
WORKING ON JOB  30
     TRY IT IN    RESULT
          15          0
     NOW TRY IN   REMOVE JOB  30FIT?
          15
                     8          0
                    14          0
                    20          1
                                      TRY TO REPLACE 20
                                      IN PERIOD     RESULT
                                           15          0
WORKING ON JOB  30
     TRY IT IN    RESULT
          15          1
WORKING ON JOB  31
     TRY IT IN    RESULT
          21          0
     NOW TRY IN   REMOVE JOB  31FIT?
```

```
          21
                    10          1
                                        TRY TO REPLACE 10
                                        IN PERIOD     RESULT
                                             21          0
                    16          0
                    21          1
                                        TRY TO REPLACE 21
                                        IN PERIOD     RESULT
                                             21          0
WORKING ON JOB  31
     TRY IT IN    RESULT
          21          1
WORKING ON JOB  32
     TRY IT IN    RESULT
          27          0
     NOW TRY IN   REMOVE JOB  32FIT?
          27
                    11          1
                                        TRY TO REPLACE 11
                                        IN PERIOD     RESULT
                                             27          0
                    17          0
                    22          1
                                        TRY TO REPLACE 22
                                        IN PERIOD     RESULT
                                             27          0
WORKING ON JOB  32
     TRY IT IN    RESULT
          27          1
WORKING ON JOB  33
     TRY IT IN    RESULT
           7          1
WORKING ON JOB  34
     TRY IT IN    RESULT
           4          0
           5          1
WORKING ON JOB  35
     TRY IT IN    RESULT
          16          0
          17          1
WORKING ON JOB  36
     TRY IT IN    RESULT
          28          0
          29          1
WORKING ON JOB  37
     TRY IT IN    RESULT
          11          1
WORKING ON JOB  38
     TRY IT IN    RESULT
          19          1
WORKING ON JOB  39
     TRY IT IN    RESULT
          23          1
WORKING ON JOB  40
     TRY IT IN    RESULT
          25          1
WORKING ON JOB  41
     TRY IT IN    RESULT
          33          1
WORKING ON JOB  42
     TRY IT IN    RESULT
           3          0
           4          0
           5          1
```

```
WORKING ON JOB  43
     TRY IT IN   RESULT
           21          0
           22          0
           23          1
WORKING ON JOB  44
     TRY IT IN   RESULT
            3          0
            4          0
            5          1
WORKING ON JOB  45
     TRY IT IN   RESULT
           21          0
           22          0
           23          1
WORKING ON JOB  46
     TRY IT IN   RESULT
            3          0
            4          0
            5          1
WORKING ON JOB  47
     TRY IT IN   RESULT
           21          0
           22          0
           23          0
           24          0
           27          0
           28          0
           29          1
WORKING ON JOB  48
     TRY IT IN   RESULT
            5          0
            6          1
WORKING ON JOB  49
     TRY IT IN   RESULT
            5          0
            6          0
     ACK TRY IN  REMOVE JOB  49FIT?
            5
                      34          0
                      42          0
                      44          0
                      46          0
            6
                      48          1
                                    TRY TO REPLACE 48
                                    IN PERIOD     RESULT
                                          5          0
                                          6          0
                                         11          1
WORKING ON JOB  50
     TRY IT IN   RESULT
           11          0
           12          1
WORKING ON JOB  51
     TRY IT IN   RESULT
           23          0
           24          1
WORKING ON JOB  52
```

```
WORKING ON JOB  53
     TRY IT IN   RESULT
             3         0
             4         1
WORKING ON JOB  54
     TRY IT IN   RESULT
             3         0
             4         0
             5         1
WORKING ON JOB  55
     TRY IT IN   RESULT
             3         0
             4         0
             9         0
            10         1
WORKING ON JOB  56
     TRY IT IN   RESULT
             3         0
             4         0
             9         0
            10         0
            15         1
WORKING ON JOB  57
     TRY IT IN   RESULT
             3         0
             4         0
             5         0
            10         0
            15         0
            16         1
WORKING ON JOB  58
     TRY IT IN   RESULT
             3         0
             4         0
             9         0
            10         0
            15         0
            16         0
            21         1
WORKING ON JOB  59
     TRY IT IN   RESULT
            10         0
            11         1
WORKING ON JOB  60
     TRY IT IN   RESULT
            22         0
            23         1
WORKING ON JOB  61
     TRY IT IN   RESULT
            10         0
            11         0
            12         1
WORKING ON JOB  62
     TRY IT IN   RESULT
             4         0
             5         0
             6         0
             8         1
WORKING ON JOB  63
     TRY IT IN   RESULT
            10         0
            11         0
            12         0
```

```
          16          0
          17          1
WORKING ON JOB  64
     TRY IT IN   RESULT
           4          0
           5          0
           6          1
WORKING ON JOB  65
     TRY IT IN   RESULT
          16          1
WORKING ON JOB  66
     TRY IT IN   RESULT
          10          0
          11          0
          12          0
          16          0
          17          0
          18          1
WORKING ON JOB  67
     TRY IT IN   RESULT
          22          0
          23          0
          24          0
          28          0
          29          0
          30          1
WORKING ON JOB  68
     TRY IT IN   RESULT
           5          1
WORKING ON JOB  69
     TRY IT IN   RESULT
          11          1
WORKING ON JOB  70
     TRY IT IN   RESULT
          17          1
WORKING ON JOB  71
     TRY IT IN   RESULT
          23          1
WORKING ON JOB  72
     TRY IT IN   RESULT
          29          1
WORKING ON JOB  73
     TRY IT IN   RESULT
          33          1
WORKING ON JOB  74
     TRY IT IN   RESULT
          35          1
WORKING ON JOB  75
     TRY IT IN   RESULT
          39          1
WORKING ON JOB  76
     TRY IT IN   RESULT
          41          1
WORKING ON JOB  77
     TRY IT IN   RESULT
           1          0
           2          0
           3          1
WORKING ON JOB  78
     TRY IT IN   RESULT
           7          0
           8          0
```

```
WORKING ON JOB  79
     TRY IT IN   RESULT
          13        0
          14        1
WORKING ON JOB  80
     TRY IT IN   RESULT
          19        0
          20        0
          21        1
WORKING ON JOB  81
     TRY IT IN   RESULT
          25        0
          26        1
WORKING ON JOB  82
     TRY IT IN   RESULT
           3        0
           4        0
     NOW TRY IN  REMOVE JOB  82FIT?
           3
                    6         1
                                   TRY TO REPLACE  6
                                   IN PERIOD    RESULT
                                         3        0
                   12         0
                   18         0
                   23         0
                   28         1
                                   TRY TO REPLACE 28
                                   IN PERIOD    RESULT
                                         3        0
                                         3        0
                   52         0
                   77         1
                                   TRY TO REPLACE 77
                                   IN PERIOD    RESULT
                                         1        0
                                         2        0
                                         3        0
                                         4        0
                                         5        1
WORKING ON JOB  83
     TRY IT IN   RESULT
           9        0
          10        0
     NOW TRY IN  REMOVE JOB  83FIT?
           9
                    7         1
                                   TRY TO REPLACE  7
                                   IN PERIOD    RESULT
                                         9        0
                   13         0
                   19         0
                   24         0
                   29         1
                                   TRY TO REPLACE 29
                                   IN PERIOD    RESULT
                                         9        0
                                         9        0
                   54         0
                   78         1
                                   TRY TO REPLACE 78
                                   IN PERIOD    RESULT
                                         7        0
```

```
                                                    8          0
                                                    9          0
                                                   10          0
                                                   11          1
WORKING ON JOB   84
     TRY IT IN    RESULT
           15          0
           16          0
     NOW TRY IN   REMOVE JOB   84FIT?
           15
                       8          0
                      14          0
                      20          0
                      30          1
                                          TRY TO REPLACE 30
                                          IN PERIOD     RESULT
                                               15          0
                                               15          0
                      56          0
                      79          0
                16
                       9          0
                      15          0
                      20          0
                      30          1
                                          TRY TO REPLACE 30
                                          IN PERIOD     RESULT
                                               15          0
                                               15          0
                      57          0
                      65          1
                                          TRY TO REPLACE 65
                                          IN PERIOD     RESULT
                                               16          0
                                               17          1
WORKING ON JOB   85
     TRY IT IN    RESULT
           21          0
           22          0
     NOW TRY IN   REMOVE JOB   85FIT?
           21
                      10          0
                      16          1
                                          TRY TO REPLACE 16
                                          IN PERIOD     RESULT
                                               21          0
                                               21          0
                      21          0
                      31          1
                                          TRY TO REPLACE 31
                                          IN PERIOD     RESULT
                                               21          0
                                               21          0
                      58          0
                      80          1
                                          TRY TO REPLACE 80
                                          IN PERIOD     RESULT
                                               19          0
                                               20          0
```

```
      TRY IT IN    RESULT
            27          0
            28          1
WORKING CN JOB   87
      TRY IT IN    RESULT
             2          0
             3          1
WORKING CN JOB   88
      TRY IT IN    RESULT
             8          0
             9          1
WORKING CN JOB   89
      TRY IT IN    RESULT
            14          1
WORKING CN JOB   90
      TRY IT IN    RESULT
            20          0
            21          0
            22          0
      NOW TRY IN   REMOVE JOB   90FIT?
            20
                        38          0
            21
                        10          0
                        16          1
                                          TRY TO REPLACE 16
                                          IN PERIOD     RESULT
                                               21          0
                                               21          0
                        21          0
                        31          0
                        58          0
                        85          0
            22
                        10          0
                        16          1
                                          TRY TO REPLACE 16
                                          IN PERIOD     RESULT
                                               21          0
                                               21          0
                        21          0
                        31          0
                        85          0
WORKING CN JOB   91
      TRY IT IN    RESULT
             4          0
             5          0
             6          0
            10          0
            11          0
            12          0
            16          0
            17          1
```

JOBS SCHEDULED IN EACH PERIOD

SCHEDULE SUMMARY BY JOB

JOB NUMBER 1
JOB NAME= MAIN
START TIME= 1
NBR OF PERS= 2
CONFIG NBR= 3
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU						C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	2	3	4	5	6	7	9	18	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	7	7	4	6	10	2	4	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 2
JOB NAME= MAIN
START TIME= 7
NBR OF PERS= 1
CONFIG NBR= 4
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU						C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	C	0	0	0	C	C	0	C	0	0	0	0	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 3
JOB NAME= MAIN
START TIME= 13
NBR OF PERS= 1
CONFIG NBR= 5
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU						C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

```
JCB NUMBER    4
              JOB NAME=  MAIN
              START TIME=  19
              NBR OF PERS=  1
              CONFIG NBR=  4
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A      C&S1 B          C&S2 MTU      C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9     2 3 4 5 6 10    A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 0 0 C 0 C    C 0 0 C 0 0 0    1 1 1 1     1 1 1 1 1 1     0 0 0 0 0 0   0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    3   4   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    4   6   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0


JCB NUMBER    5
              JOB NAME=  MAIN
              START TIME=  25
              NBR OF PERS=  1
              CONFIG NBR=  5
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A      C&S1 B          C&S2 MTU      C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9     2 3 4 5 6 10    A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 1 1 1 1 1 1 1    1 1 1 1 1 1 1    0 0 0 0     0 0 0 0 0 0     0 0 0 0 0 0   0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    1   2   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    7   7   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0


JCB NUMBER    6
              JOB NAME=  NTDS
              START TIME=  3
              NBR OF PERS=  2
              CONFIG NBR=  1
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A      C&S1 B          C&S2 MTU      C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9     2 3 4 5 6 10    A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 1 C 0 0 0 0 0    1 1 1 C 0 0 0    0 0 0 0     1 1 0 0 0 0     0 0 0 1 0 0   0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    1   2   4   5  11  12  14  33   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    1   3   2   1   1   1   1   1   0   0   0   0   0   0   0   0   0   0   0   0
```

JCB NUMBER 7
JCB NAME= NTCS
START TIME= 9
NBR OF PERS= 2
CONFIG NBR= 1
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B								C&S1 A				C&S1 B										C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R		1	7	8	9	2	3	4	5	6	10		A	B	C	G	J	K		1	2	5	6		A	C	D	E	H	P		1	2	3	4	5	6	7	8
1	0	0	0	0	0	0	1	1	1	0	0	0	0		0	0	0	0	1	1	0	0	0	0		0	0	0	1	0	0		0	0	0	0		0	0	0	0	0	0		0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	2	4	5	11	12	14	33	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	3	2	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 8
JCB NAME= NTCS
START TIME= 15
NBR OF PERS= 1
CONFIG NBR= 1
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B								C&S1 A				C&S1 B										C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R		1	7	8	9	2	3	4	5	6	10		A	B	C	G	J	K		1	2	5	6		A	C	D	E	H	P		1	2	3	4	5	6	7	8
1	0	0	0	0	0	0	1	1	1	0	0	0	0		0	0	0	0	1	1	0	0	0	0		0	0	0	1	0	0		0	0	0	0		0	0	0	0	0	0		0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	2	4	5	11	12	14	33	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	3	2	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 9
JCB NAME= NTCS
START TIME= 16
NBR OF PERS= 1
CONFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B								C&S1 A				C&S1 B										C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R		1	7	8	9	2	3	4	5	6	10		A	B	C	G	J	K		1	2	5	6		A	C	D	E	H	P		1	2	3	4	5	6	7	8
1	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	1	1	0	0	0	0		1	0	0	0	0	0		0	0	0	0		0	0	0	0	0	0		0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	4	5	11	14	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	2	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 10
JCB NAME= NTCS
START TIME= 21
NBR OF PERS= 2
CONFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU							C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	4	5	11	14	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	2	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 11
JCB NAME= NTOS
START TIME= 27
NBR OF PERS= 2
CONFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU							C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	4	5	11	14	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	2	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 12
JCB NAME= TEAM
START TIME= 3
NBR OF PERS= 2
CONFIG NBR= 6
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU							C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	5	9	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 13
JCB NAME= TEAM
START TIME= 9
NBR OF PERS= 2
CONFIG NBR= 6
SPECIFIC EQUIPMENT ASSIGNED

```
OTHER EQUIPMENT

 TYPE    1    5    9   55    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    3    1    1    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JOB NUMBER  14
           JOB NAME=  TEAM
           START TIME=  15
           NBR OF PERS=  1
           CONFIG NBR=  6
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU       C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 1 1 1   0 0 0 0 0 0 0   0 0 0 0   0 0 0 0 0 0   0 0 1 0 0 0   0 0 0 0  0 0 0 1 0 0  0 0 0 0 0 0 0 0
OTHER EQUIPMENT

 TYPE    1    5    9   55    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    3    1    1    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JOB NUMBER  15
           JOB NAME=  TEAM
           START TIME=  16
           NBR OF PERS=  1
           CONFIG NBR= 37
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU       C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 1 1 1   1 1 1 0 0 0 0   0 1 1 1   0 0 0 0 0 0   0 0 0 1 1 1   0 0 0 0  0 0 0 1 1 1  0 0 0 0 0 0 0 0
OTHER EQUIPMENT

 TYPE    1    2    3    5    9   13   12   30   31   32   55    0    0    0    0    0    0    0    0    0
 NMBR    3    3    3    3    1    1    1    1    1    1    3    0    0    0    0    0    0    0    0    0


JOB NUMBER  16
           JOB NAME=  TEAM
           START TIME=  21
           NBR OF PERS=  2
           CONFIG NBR= 37
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU       C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 1 1 1   1 1 1 0 0 0 0   0 1 1 1   0 0 0 0 0 0   0 0 0 1 1 1   0 0 0 0  0 0 0 1 1 1  0 0 0 0 0 0 0 0
```

OTHER EQUIPMENT

TYPE	1	2	3	5	9	13	12	30	31	32	55	0	0	0	0	0	0	0	0	0
NMBR	3	3	3	3	1	1	1	1	1	1	3	0	0	0	0	0	0	0	0	0

JOB NUMBER 17
JOB NAME= TEAM
START TIME= 27
NBR OF PERS= 2
CONFIG NBR= 37

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	1	1	1	1	1	1	C	C	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	2	3	5	9	13	12	30	31	32	55	0	0	0	0	0	0	0	0	0
NMBR	3	3	3	3	1	1	1	1	1	1	3	0	0	0	0	0	0	0	0	0

JOB NUMBER 18
JOB NAME= TDEW
START TIME= 3
NBR OF PERS= 2
CONFIG NBR= 8

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	C	C	0	C	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	26	27	28	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	3	5	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 19
JOB NAME= TDEW
START TIME= 9
NBR OF PERS= 2
CONFIG NBR= 8

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 20
JCB NAME= TDEW
START TIME= 15
NBR OF PERS= 2
CONFIG NBR= 8
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B										C&S2 MTU						C&S1 MTU						C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	26	27	28	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	3	5	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 21
JCB NAME= TDEW
START TIME= 21
NBR OF PERS= 2
CONFIG NBR= 8
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B										C&S2 MTU						C&S1 MTU						C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	26	27	28	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	3	5	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 22
JCB NAME= TDEW
START TIME= 27
NBR OF PERS= 2
CONFIG NBR= 8
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B										C&S2 MTU						C&S1 MTU						C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	26	27	28	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	3	5	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 23
JOB NAME= CATC
START TIME= 3
NBR OF PERS= 2
CONFIG NBR= 9
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	0	0	C	C	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	3	5	19	29	37	43	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 24
JOB NAME= CATC
START TIME= 9
NBR OF PERS= 2
CONFIG NBR= 9
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	3	5	19	29	37	43	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 25
NOT SCHEDULED **********
JOB NAME= CATC
START TIME= 0
NBR OF PERS= 0
CONFIG NBR= 9
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	C	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

```
JCB NUMBER  26
          NOT SCHEDULED  **********************
          JCB NAME=   CATC
          START TIME=    0
          NBR OF PERS=   0
          CONFIG NBR=    9
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K     1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 0 0 C 0 C    0 0 0 0 0 0 0    0 0 0 0    0 0 0 0 0 0     0 0 0 0 0 0     0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JCB NUMBER  27
          NOT SCHEDULED  **********************
          JCB NAME=   CATC
          START TIME=    0
          NBR OF PERS=   0
          CONFIG NBR=    9
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K     1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 C 0 C    C 0 0 0 0 0 0    0 0 0 0    0 0 0 0 0 0     0 0 0 0 0 0     0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JCB NUMBER  28
          JCB NAME=    AIC
          START TIME=    3
          NBR OF PERS=   2
          CONFIG NBR=   38
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K     1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C C C 0 C 0 C    C 0 0 1 1 0 0    0 0 0 0    0 0 0 0 0 0     0 0 0 0 1 0     0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    2   51    5   10   16   29   37   39    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    2    2    1    1    1    1    1    1    0    0    0    0    0    0    0    0    0    0    0    0
```

JCB NUMBER 29
JCB NAME= AIC
START TIME= 9
NBR OF PERS= 2
CONFIG NBR= 38
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	C	0	C	0	C	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	0	C

OTHER EQUIPMENT

TYPE	2	51	5	10	16	29	37	39	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 30
JCB NAME= AIC
START TIME= 15
NBR OF PERS= 2
CONFIG NBR= 38
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	C	C	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

CTHER ECLIPMENT

TYPE	2	51	5	10	16	29	37	39	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 31
JCB NAME= AIC
START TIME= 21
NBR OF PERS= 2
CONFIG NBR= 38
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	C	0	C	0	C	C	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	0	0	0	C

CTHER EQLIPMENT

TYPE	2	51	5	10	16	29	37	39	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 32
JCB NAME= AIC
START TIME= 27
NBR OF PERS= 2
CONFIG NBR= 38
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU			C&S2 TTY					C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	F	H	P	1	2	3	4	5	6	7	8
0	0	0	0	C	0	C	C	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	2	51	5	10	16	29	37	39	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 33
JCB NAME= JITF
START TIME= 7
NBR OF PERS= 2
CONFIG NBR= 11
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU			C&S2 TTY					C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	C	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	2	5	32	33	44	51	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	4	2	1	1	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 34
JCB NAME= TIMK
START TIME= 5
NBR OF PERS= 1
CONFIG NBR= 12
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU			C&S2 TTY					C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	C	C	0	C	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	2	5	14	27	44	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 35
JCB NAME= TIMK
START TIME= 17
NBR OF PERS= 1
CONFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU				C&S2 TTY					C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	2	5	14	27	44	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 36
JOB NAME= TIMK
START TIME= 29
NBR OF PERS= 1
CONFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU				C&S2 TTY					C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	2	5	14	27	44	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 37
JOB NAME= NTST
START TIME= 11
NBR OF PERS= 2
CONFIG NBR= 32

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU				C&S2 TTY					C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	2	5	14	32	33	37	44	51	45	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	4	1	1	1	1	1	1	2	3	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 38
JOB NAME= NTST
START TIME= 19

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	1	1	1	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	2	5	14	23	32	33	44	51	45	0	0	0	0	0	0	0	0	0	0
NMBR	3	4	2	1	1	1	1	1	2	3	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 39
JOB NAME= NTST
START TIME= 23
NBR OF PERS= 2
CONFIG NBR= 34

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	C	0	C	0	C	C	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	0	0

OTHER EQUIPMENT

TYPE	2	5	14	23	27	32	44	51	45	0	0	0	0	0	0	0	0	0	0	0
NMBR	4	2	1	1	5	1	1	1	3	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 40
JOB NAME= NTST
START TIME= 25
NBR OF PERS= 2
CONFIG NBR= 35

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	C	C	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	3	5	19	23	37	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 41
JOB NAME= NTST
START TIME= 33
NBR OF PERS= 2
CONFIG NBR= 36

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY								C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	C	0	0	0	0	0	1	1	1	1	0	1	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 48
JCB NAME= HEPL
START TIME= 11
NBR OF PERS= 1
CONFIG NBR= 19
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	C	0	0	0	0	C	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	C	0	C	0	0	C	0	0	0	C	0	0	C

OTHER EQUIPMENT

TYPE	3	4	5	13	34	35	44	51	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	2	1	1	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 49
JCB NAME= BURR
START TIME= 6
NBR OF PERS= 1
CONFIG NBR= 20
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	C	0	0	C	0	0	C	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	C	0	0	C

OTHER EQUIPMENT

TYPE	4	5	13	37	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 50
JCB NAME= BURR
START TIME= 12
NBR OF PERS= 1
CONFIG NBR= 20
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	C	C	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	C	0	0	C

OTHER EQUIPMENT

TYPE	4	5	13	37	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

```
JOB NUMBER  45
           JOB NAME=  GHAY
           START TIME=  23
           NBR OF PERS=  1
           CONFIG NBR= 17
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K     1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 0 0 0 0 C    C 0 0 0 0 0 0    0 0 0 0    0 0 0 1 1 1     0 0 0 0 0 0     0 0 1 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE     4    5    11    12    44    46    51     0     0     0     0     0     0     0     0     0     0     0     0
 NMBR     3    1     1     1     1     1     1     0     0     0     0     0     0     0     0     0     0     0     0


JOB NUMBER  46
           JOB NAME=  ANST
           START TIME=  5
           NBR OF PERS=  1
           CONFIG NBR= 18
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K     1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 0 C C 0 C    C 0 0 0 0 0 0    0 1 1 1    0 0 0 0 0 0     0 0 0 0 0 0     1 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE     3    5    13    27    46    51     0     0     0     0     0     0     0     0     0     0     0     0     0
 NMBR     3    1     1     1     1     1     0     0     0     0     0     0     0     0     0     0     0     0     0


JOB NUMBER  47
           JOB NAME=  ANST
           START TIME=  29
           NBR OF PERS=  1
           CONFIG NBR= 18
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K     1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 C 0 0 0 0    0 0 0 C 0 0 0    0 1 1 1    0 0 0 0 0 0     0 0 0 0 0 0     1 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE     3    5    13    27    46    51     0     0     0     0     0     0     0     0     0     0     0     0     0
 NMBR     3    1     1     1     1     1     0     0     0     0     0     0     0     0     0     0     0     0     0
```

JCB NUMBER 54
JCB NAME= ASIS
START TIME= 9
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY				C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 55
JCB NAME= ASIS
START TIME= 10
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY				C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	C	0	0	C	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 56
JCB NAME= ASIS
START TIME= 15
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY				C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 57
JCB NAME= ASIS
START TIME= 16
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU								C&S1 MTU				C&S2 TTY				C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	C	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

JOB NUMBER 51
JOB NAME= BURR
START TIME= 24
NBR OF PERS= 1
CONFIG NBR= 20
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	13	37	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 52
JOB NAME= ASIS
START TIME= 3
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	0	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 53
JOB NAME= ASIS
START TIME= 4
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	0	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	6	7	9	21	51	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 61
JOB NAME= STCK
START TIME= 12
NBR OF PERS= 1
CONFIG NBR= 23
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B							C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	19	51	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	2	1	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 62
JOB NAME= ERSK
START TIME= 8
NBR OF PERS= 1
CONFIG NBR= 24
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B							C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	C	0	C	C	C	C	0	0	C	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	13	51	46	26	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	3	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 63
JOB NAME= FALL
START TIME= 17
NBR OF PERS= 1
CONFIG NBR= 25
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B							C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 58
JOB NAME= ASIS
START TIME= 21
NBR OF PERS= 1
CONFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	C	C

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 59
JOB NAME= LANK
START TIME= 11
NBR OF PERS= 1
CONFIG NBR= 22
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	0	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	C	C

OTHER EQUIPMENT

TYPE	4	5	6	7	9	21	51	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 60
JOB NAME= LANK
START TIME= 23
NBR OF PERS= 1
CONFIG NBR= 22
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	C	C	0	0	C	0	0	0	0	0	0	0	0	C	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	C	C

JOB NUMBER 67
JOB NAME= SAIL
START TIME= 30
NBR OF PERS= 1
CONFIG NBR= 28
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	0	0	0	0	C	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	2	5	6	14	51	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 68
JOB NAME= BPC
START TIME= 5
NBR OF PERS= 1
CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	0	C	0	0	0	C	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	1	C	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	C	0	0	0	0	C

OTHER EQUIPMENT

TYPE	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 69
JOB NAME= BPC
START TIME= 11
NBR OF PERS= 1
CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	0	0	C	0	C	C	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	C	0	C	0	C	0	0	C	0	0	C

OTHER EQUIPMENT

TYPE	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

```
JOB NUMBER  64
           JOB NAME=  MAXW
           START TIME=   6
           NBR OF PERS=  1
           CONFIG NBR= 26
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU       C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K    1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 C 0 C 0 C    C 0 0 0 C 0 0 0  0 0 0 0    1 1 1 0 0 0     0 0 0 0 0 0    0 1 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 C

OTHER EQUIPMENT

 TYPE     4    5   10   44   46   51    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR     3    1    1    1    2    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JOB NUMBER  65
           JOB NAME=  CD72
           START TIME=  17
           NBR OF PERS=  1
           CONFIG NBR= 27
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU       C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K    1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 C 0 C    C 0 0 0 0 1 0 0  0 0 0 0    0 0 0 0 0 0     0 0 0 0 0 1 0  0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE     2    5    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR     1    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JOB NUMBER  66
           JOB NAME=  SAIL
           START TIME=  13
           NBR OF PERS=  1
           CONFIG NBR= 28
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A     C&S1 B          C&S2 MTU       C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9    2 3 4 5 6 10    A B C G J K    1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 C C C 0 0    C 0 0 0 C 0 0 1  0 0 0 0    0 0 0 0 0 0     0 0 0 1 0 0    0 0 0 0  0 0 0 C 0 0  0 0 0 0 0 C 0 C

OTHER EQUIPMENT

 TYPE     2    5    6   14   51   53    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR     1    1    1    1    1    2    0    0    0    0    0    0    0    0    0    0    0    0    0    0
```

JCB NUMBER 73
JCB NAME= EPC
START TIME= 33
NBR OF PERS= 1
CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	0	C	0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 74
JCB NAME= BPC
START TIME= 35
NBR OF PERS= 1
CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	C	C	0	C	0	0	C	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 75
JCB NAME= BPC
START TIME= 39
NBR OF PERS= 1
CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
1	0	C	0	C	C	C	C	0	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	C	C

OTHER EQUIPMENT

TYPE	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 76

```
JCB NUMBER  7C
          JCB NAME=    BPC
          START TIME=   17
          NBR OF PERS=   1
          CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A      C&S1 B       C&S2 MTU      C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9     2 3 4 5 6 10 A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 1 0 0 0 0 0 0    0 0 0 0 0 0 0    0 0 0 0     0 0 0 0 0 0  1 0 0 0 0 0  0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    1    5    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    1    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JCB NUMBER  71
          JCB NAME=    BPC
          START TIME=   29
          NBR OF PERS=   1
          CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A      C&S1 B       C&S2 MTU      C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9     2 3 4 5 6 10 A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 1 0 0 0 0 0 0    0 0 0 0 0 0 0    0 0 0 0     0 0 0 0 0 0  1 0 0 0 0 0  0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    1    5    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    1    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0


JCB NUMBER  72
          JCB NAME=    BPC
          START TIME=   29
          NBR OF PERS=   1
          CONFIG NBR= 29
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A      C&S2 TYPE B      C&S1 A      C&S1 B       C&S2 MTU      C&S1 MTU C&S2 TTY      C&S1 TTY
 A B C D E S N    M L K H P Q R    1 7 8 9     2 3 4 5 6 10 A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 1 0 0 0 0 0 0    0 0 0 0 0 0 0    0 0 0 0     0 0 0 0 0 0  1 0 0 0 0 0  0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    1    5    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
 NMBR    1    1    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
```

```
JCB NUMBER  3C
          JCB NAME=  HALL
          START TIME=  23
          NBR OF PERS=  2
          CONFIG NBR= 3C
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 C C 0 C   0 0 1 0 C 0 0   0 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0   0 0 0 0  0 0 0 0 C 0  0 0 0 0 C 0 0 0

OTHER EQUIPMENT

 TYPE    2   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0


JCB NUMBER  81
          JCB NAME=  HALL
          START TIME=  26
          NBR OF PERS=  2
          CONFIG NBR= 30
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 C 0 0 0 0 0 C   C 0 0 0 0 0 1   0 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0   0 0 0 0  0 0 0 0 0 0  0 0 0 0 C 0 0 C

OTHER EQUIPMENT

 TYPE    2   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0


JCB NUMBER  82
          JCB NAME=  MPCS
          START TIME=  3
          NBR OF PERS=  2
          CONFIG NBR= 31
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 C 0 0   C 0 0 0 0 1 1   0 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0   0 0 C 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0
```

```
A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6   A C D E H P   1 2 3 4 5 6 7 8
1 0 0 0 0 0 C   0 0 0 0 0 0 0   0 0 0 0   0 0 0 0 0 0     1 0 0 0 0 0   0 0 0 0   0 0 0 0   0 0 0 0 0 0 0 0
```

OTHER EQUIPMENT

```
TYPE    1  5  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
NMBR    1  1  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
```

JOB NUMBER 77
JOB NAME= HALL
START TIME= 5
NBR OF PERS= 2
CONFIG NBR= 3C

SPECIFIC EQUIPMENT ASSIGNED

```
C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU     C&S1 MTU C&S2 TTY     C&S1 TTY
A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6   A C D E H P   1 2 3 4 5 6 7 8
C 0 C C C C C   C 0 C C 0 0 1   0 0 0 0   0 0 0 0 0 0     0 0 0 0 0 0   0 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0 0 0
```

OTHER EQUIPMENT

```
TYPE    2  C  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
NMBR    1  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
```


JOB NUMBER 78
JOB NAME= HALL
START TIME= 11
NBR OF PERS= 2
CONFIG NBR= 3C

SPECIFIC EQUIPMENT ASSIGNED

```
C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU     C&S1 MTU C&S2 TTY     C&S1 TTY
A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6   A C D E H P   1 2 3 4 5 6 7 8
0 0 C C C 0 C   0 0 1 C C 0 0   0 0 0 0   0 0 0 0 0 0     0 C 0 0 0 0   0 0 0 0   0 0 0 C 0 C   C 0 0 0 0 0 0 0
```

OTHER EQUIPMENT

```
TYPE    2  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
NMBR    1  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
```

JOB NUMBER 79
JOB NAME= HALL
START TIME= 14
NBR OF PERS= 2
CONFIG NBR= 30

SPECIFIC EQUIPMENT ASSIGNED

```
C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU     C&S1 MTU C&S2 TTY     C&S1 TTY
A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6   A C D E H P   1 2 3 4 5 6 7 8
0 0 C 0 C 0 C   C 0 0 0 0 0 1   0 0 0 0   0 0 0 0 0 0     0 0 0 0 0 0   0 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0 0 0
```

OTHER EQUIPMENT

```
TYPE    2  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
NMBR    1  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0  0
```

JOB NUMBER 86
JOB NAME= MPES
START TIME= 28
NBR OF PERS= 2
CONFIG NBR= 31
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	C	0	C	C	0	C	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 87
JOB NAME= BURK
START TIME= 3
NBR OF PERS= 1
CONFIG NBR= 13
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	C	C	0	0	C	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	3	5	13	20	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 88
JOB NAME= BURK
START TIME= 9
NBR OF PERS= 1
CONFIG NBR= 13
SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B								C&S2 MTU						C&S1 MTU		C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	C	0	C	C	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	3	5	13	20	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 83
JOB NAME= MPCS
START TIME= 9
NBR OF PERS= 2
CONFIG NBR= 31

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	C	C	C	0	C	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C

OTHER EQUIPMENT

TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 84
JOB NAME= MPCS
START TIME= 16
NBR OF PERS= 2
CONFIG NBR= 31

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
C	0	0	0	0	0	C	C	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	C	0	0	0	0	0	C	0	C

OTHER EQUIPMENT

TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JOB NUMBER 85
JOB NAME= MPCS
START TIME= 21
NBR OF PERS= 2
CONFIG NBR= 31

SPECIFIC EQUIPMENT ASSIGNED

C&S2 TYPE A							C&S2 TYPE B							C&S1 A				C&S1 B						C&S2 MTU						C&S1 MTU				C&S2 TTY						C&S1 TTY							
A	B	C	D	E	S	N	M	L	K	H	P	Q	R	1	7	8	9	2	3	4	5	6	10	A	B	C	G	J	K	1	2	5	6	A	C	D	E	H	P	1	2	3	4	5	6	7	8
0	0	0	C	C	0	C	C	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	0	0	0	0	C	0	0	0	C

OTHER EQUIPMENT

TYPE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NMBR	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**** JOBS NOT SCHEDULED **** 25 26 27 90



```
JCB NUMBER  89
           JCB NAME=  BURK
           START TIME=  14
           NBR OF PERS=  2
           CONFIG NBR= 13
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 0 0 0   0 0 0 0 0 0 0   1 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0   1 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    3   5   13   20   30   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    1   1    1    1    1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0


JCB NUMBER  90
           NOT SCHEDULED  ********************
           JCB NAME=  BURK
           START TIME=  0
           NBR OF PERS=  0
           CONFIG NBR= 13
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 0 0 0   0 0 0 0 0 0 0   0 0 0 0   0 0 0 0 0 0   0 0 0 0 0 0   0 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0


JCB NUMBER  91
           JCB NAME=  NACR
           START TIME=  17
           NBR OF PERS=  1
           CONFIG NBR= 14
SPECIFIC EQUIPMENT ASSIGNED

 C&S2 TYPE A     C&S2 TYPE B     C&S1 A     C&S1 B          C&S2 MTU        C&S1 MTU C&S2 TTY     C&S1 TTY
 A B C D E S N   M L K H P Q R   1 7 8 9   2 3 4 5 6 10   A B C G J K   1 2 5 6  A C D E H P  1 2 3 4 5 6 7 8
 0 0 0 0 0 0 0   0 0 0 0 0 0 0   0 1 1 0   0 0 0 0 0 0   0 0 0 0 0 0   1 0 0 0  0 0 0 0 0 0  0 0 0 0 0 0 0 0

OTHER EQUIPMENT

 TYPE    3   5   10   51   23   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
 NMBR    2   1    1    1    1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
```

DISTRIBUTION LIST

	Number of Copies
Library, Code 55 Naval Postgraduate School Monterey, California 93940	2
Office of Research Administration Code 012A Naval Postgraduate School Monterey, California 93940	1
Professor James Hartman Code 55 Naval Postgraduate School Monterey, California 93940	3
Professor Gilbert Howard Code 55Hk Naval Postgraduate School Monterey, California 93940	4
Commanding Officer FLTCOMBATDIRSYSSACT 200 Catalina Boulevard San Diego, California 92147 Attn: Code 06	5
Defense Documentation Center Cameron Station Alexandria, Virginia 22314	2

U181593

DUDLEY KNOX LIBRARY - RESEARCH REPORTS
5 6853 01069584 4
U18159